

MATERIALS HANDLING SOLUTIONS



EDITION ELEVEN



Table of Contents

FORKLIFT ATTACHMENTS	4
DRUM HANDLING EQUIPMENT	20
TROLLEY SYSTEMS	25
LIFTING AND HOISTING	34
STORAGE AND ACCESS EQUIPMENT	40
TYRE STILLAGES	42
PALLET CAGES	43



About Bremco

Bremco Metal Products is a 100% Australian owned and operated family business and we pride ourselves on a first hand understanding of the Australian market-place.

In this catalogue Bremco showcases products designed to assist our customers' materials handling needs. Our Aussie made logo identifies the products that have been designed and manufactured in our Australian workshop.

Bremco has been shaped by the same experiences that influence our customers' needs and decisions, and this is just one of the advantages of buying locally made products. Bremco prides itself on quality manufacturing to comply with Australian Standards for attachments and lifting. Many of Bremco's designs are registered and we work closely with engineers and government bodies to ensure products meet the Workplace Health and Safety requirements.

The other big advantage to becoming a Bremco client hasn't changed - and that's our Money-Back Guarantee. Bremco's pride in our work is supported by our promise that if you are not completely satisfied with our products within the first two weeks of receiving them, we'll take them back free of charge and refund your investment - guaranteed.

So give us a call on:

1300 bremco (1300 273 626) or (07) 3275 3422

or send us an enquiry to:

sales@bremco.com.au

Check out our website at:

www.bremco.com.au

PAYMENT OPTIONS

eftpos

VISA



METAL FABRICATION

Custom Fabrication and Engineering

Bremco can work with your team to put together a custom solution to meet your needs.



- Posts & Beams
- Stair Stringers
- Steel Gates
- Brackets
- Handrails
- Mezzanine Floors
- Bollards
- Custom Work Benches & Shelving
- Engineering Approvals
- Autocad Design



QBCC Licence No 127 9668

Talk to the Bremco Team on 1300 237 626

or email your requirements to sales@bremco.com.au

FORKLIFT ATTACHMENTS

Forklift Goods Cage – BMP111

Get your products lifted to the mezzanine level safely.

This cage is manufactured to suit a standard front lift forklift and allows storage and transport of large items such as furniture and white goods.

A standard hinged ramp is permanently attached to the front of the cage, offering easy access by trolley.

Size: 1200mm square x 1100mmH

WLL: 1000kg

Weight: 110kg

HCoG: 600mm

Tyne Pockets: 164mm x 60mm

Tyne Pocket Centres: 666mm

Finish: painted safety yellow

NB: Compliance plate and serial number attached.



Order Picking Cage – BMP050

Pick and pack goods safely at heights.

This cage is manufactured to suit electric stock pickers only, and allows the operator clear and safe access. This is a safe alternative to a standard timber pallet.

Size: 1190mm x 1290mm x 1210mmH (including tray)

WLL: 1000kg

Weight: 137kg

HCoG: 600mm

Tyne Pockets: 144mm x 57mm

Tyne Pocket Centres: 550mm

Finish: powder coated safety yellow

NB: Compliance plate & serial number attached. Timber grab rail under base for clamp connection.



Harness + Lanyard – BMP053

Secure your staff safely at height.

Boxed set includes light weight adjustable body harness with rear attachment point, and a fixed line 1.5m lanyard.

Weight: 2kg

WLL: 120kg

NB: Complies with AS1891.1. Breathable mesh panel.



Forklift Safety Cage – BMP001

Use your forklift to reach new heights.

Fully welded construction for tough high-access tasks. The cage is supplied with a fixed line harness attachment point, and comes with a quality powder coated finish.

Size: 1200mm x 1000mm x 2100mmH

WLL: 250kg or 2 people

Weight: 101kg

HCoG: 550mm

VCoG: 320mm

Tyne Pockets: 164mm x 60mm

Tyne Pocket Centres: 666mm

Finish: powder coated safety yellow

NB: Removable back for convenience. Complies with AS2359.1 section 12. Compliance plate and serial number attached.



Forklift Safety Cage – BMP001–R

Fully welded, cost effective design, with rail sides and full tub base. The same design as our very successful BMP001.

Size: 1200mm x 1000mm x 2100mmH

WLL: 250kg or 2 people

Weight: 97kg

HCoG: 550mm

VCoG: 320mm

Tyne Pockets: 164mm x 60mm

Tyne Pocket Centres: 666mm

Finish: painted safety yellow

NB: Removable back for convenience. Complies with AS2359.1 section 12. Compliance plate and serial number attached.



Bremco also have a duragal option.

Forklift Extension Slippers – BMP003

Reach further with your forklift tynes.

Bremco's Forklift Extension Slippers allow you to temporarily lengthen the tynes of your Fork Truck for load stability and are ideal for large crates or machinery items.

The slim profile of our Extension Slippers are made from fully fabricated plate sections and are hot dip galvanised for a longer life.

Bremco also offer as an economy option Class 2 Extension Slippers made from Rectangular Hollow Section (RHS) with a painted finish.

Lengths from 1600 to 3000mm

Complies with AS2359.15. Compliance plate attached.



Code	Length	Inside Pocket Dimensions	Load Rating per Pair (at 600mm HCoG)	Weight
CL2160	1600mm	145x60	3000kg	50kg
CL2180	1780mm	145x60	3000kg	57kg
CL2210	2100mm	145x60	3000kg	63kg
CL2240	2400mm	145x60	3000kg	77kg
CL3160	1600mm	164x60	5000kg	70kg
CL3180	1780mm	164x60	5000kg	78kg
CL3210	2100mm	164x60	5000kg	92kg
CL3240	2400mm	164x60	5000kg	103kg
CL4180	1780mm	180x80	8000kg	132kg
CL4210	2100mm	180x80	8000kg	155kg
CL4240	2400mm	180x80	8000kg	176kg
CL4300	3000mm	180x80	8000kg	221kg

In accordance with AS2359.15 Forklift Slippers for general use should be no longer than 167% of the supporting forklift tyne length. If the slippers are longer than this, then their use shall be restricted to their specified application.

HANDY TIP:

How do I determine the class of my fork lift truck carriage?

Class 1 fork carriages:

Rated for loads up to 907kg (2000lbs). The carriage bar spacing is 330mm.

Class 2 fork carriages:

Rated for loads up to 2517kg (5550lbs). The carriage bar spacing is 406mm.

Class 3 fork carriages:

Rated for loads up to 4536kg (10000lbs). The carriage bar spacing is 508mm.

Class 4 fork carriages:

Rated for loads up to 7031 kg (15500lbs). The carriage bar spacing is 635mm.

Forklift Carpet Prong (slip on) – BMP012

Keep your tyres and move your long rolls.

Forklift Carpet Prongs are the ideal way to handle carpet rolls, artificial turf, set up exhibitions or transport fabrics, cable, coil or steel + poly pipe.

As a slip on attachment, the BMP012 removes the need for fork tyre removal and is made of high tensile steel.

Complies with AS2359. Compliance plate and serial number attached.



Code	Length O/A	Pole Length	Diameter	Weight	WLL	Load Centre
012 - 15	2355mm	1500mm	63.5mm	105kg	500kg	750mm
012 - 24	3255mm	2400mm	63.5mm	120kg	500kg	1200mm
012 - 30	3855mm	3000mm	70mm	133kg	500kg	1500mm

Carpet Prong (Carriage) – BMP014

Get closer access to your loads with this dedicated carriage attachment.

The BMP014 has been designed to mount directly onto the carriage of your forklift and can be adapted to suit all carriages on both electric and front-lift fork trucks.

Complies with AS2359. Compliance plate and serial number attached.



Code	Length O/A	Pole Length	Diameter	Weight	WLL	Load Centre
014 - 15	1516mm	1700mm	63.5mm	82kg	500kg	750mm
014 - 24	2420mm	2600mm	63.5mm	102kg	500kg	1200mm
014 - 30	3025mm	3200mm	70mm	119kg	500kg	1500mm

Forklift Fixed Jib – BMP011

Lift and reach with efficiency.

Take advantage of the special slip ring, which can be moved along the saw tooth plate to achieve the optimum lifting capacity.

Visit our website for lifting capacity chart.

Size: 1825mm x 475mm x 575mmH

WLL: 750kg at 1800mm HLC
1500kg at 1000mm
1800kg at 100mm

Weight: 81kg

HCoG: 625mm

Tyre Pockets: 190mm x 76mm

Tyre Pocket Centres: 275mm

Finish: hot dip galvanised

NB: Compliance plate and serial number attached.



Short Extension Jib – BMP093

Lift and place with accuracy.

This unit is designed for the transportation of long loads, which can be slung at greater centres than with a fixed jib due to the manual extension.

Visit our website for lifting capacity chart.

Size: 1250mm x 500mm x 250mmH Closed
2050mm x 500mm x 250mmH Opened

WLL: 3000kg at 1000mm HLC
4.5T at 630mm

Weight: 97kg

HLC: 600mm

Tyre Pockets: 190mm x 70mm

Tyre Pocket Centres: 300mm

Finish: hot dip galvanised

NB: Compliance plate and serial number attached.



Forklift Economy Jib – BMP016

Adapt your truck to crane lift.

Forklift Economy Jibs are an inexpensive way to convert your standard forklift into a small crane and are a great way to transport heavy, awkward items around your workshop or yard.

Size: 910mm x 500mm x 225mmH

WLL: 1000kg at 900mm HLC

Weight: 52kg

HCoG: 560mm

Tyne Pockets: 190mm x 65mm

Tyne Pocket Centres: 300mm

Finish: hot dip galvanised

With compliance plate and serial number in accordance with Australian Standard AS2359.



Fork Adapter – BMP076

Bremco's Forklift adaptor allows an easy conversion of your Fork truck into a tow hitch assembly. the Forklift adaptor has a standard 50mm towball fitted through the top lifting beam and is rated to a load capacity of 250Kgs.

Size: 1120mmD x 790mmW x 221mmH

Wll: 250kg

Weight: 21Kgs

HCoG: 182mm

Finish: powder coated safety yellow

Tyne Pockets: 180mm x 65mm

With compliance plate and serial number



Forklift Adjustable Swing Jib – BMP002

Manoeuvre items in confined spaces using your forklift.

Multi-angle positioning allows extra height and load capacity and is easy to set using the 4 stage locating pin. Ensure the net lifting capacity remains at 0.8 times your forklift capacity to allow for a swinging load.

Visit our website for lifting capacity chart.

Size: 1865mm (closed) x 500mm x 510mm high

WLL: 2000kg at 880mm HLC
600kg at 2800mm HLC

Weight: 137kg

HCoG: 735mm

Tyre Pockets: 190mm x 65mm

Tyre Pocket Centres: 550mm

Finish: hot dip galvanised

Extension Jib Range: 1750mm to 2800mm

NB: Compliance plate and serial number attached.



Heavy Duty Extension Jib – BMP085

Convert your forklift for some intense lifting.

A forklift jib designed for the heavier range of forklift, for handling large unpalletised loads, with the added flexibility of a multi-adjustable extension.

Visit our website for lifting capacity chart.

Size: 1990mm (closed) x 900mm x 790mmH

WLL: 5000kg at 1025mm HLC
1900kg at 2550mm HLC

Weight: 260kg

HCoG: 770mm

Tyre Pockets: 190mm x 75mm

Tyre Pocket Centres: 700mm

Finish: hot dip galvanised

Extension Jib Range: 1970mm to 2550mm

NB: Compliance plate and serial number attached.



Heavy Duty Economy Jib – BMP090

Use your heavy duty fork lift as a crane with this jib for large jobs and dedicated logistical operations.

Size: 1330mm x 900mm x 225mmH

WLL: 5000kg at 865mm HLC

Weight: 163kg

HCoG: 795mm

Tyne Pockets: 190mm x 75mm

Tyne Pocket Centres: 700mm

Finish: hot dip galvanised

NB: Compliance plate and serial number attached.



NOT EXACTLY WHAT YOU ARE LOOKING FOR?
SPEAK TO OUR FRIENDLY SALES TEAM WHO CAN WORK WITH
YOU TO FIND A SOLUTION. ☎ 1300 273 626

Forklift Bucket Attachment – BMP049

Convert a standard forklift into a front end loader by using this simple attachment.

This unit can be safely operated from the driver's seat of the forklift. Both units are approximately 650mm high.

NB: Compliance plate and serial number attached.



Code	WLL	Length	Overall Width	Bucket Size	Tyne Pockets	Tyne Centres	Weight	HCoG
049-12	500kg	1745mm	1210mm	600mm x 600mm	165mm x 65mm	750mm	160kg	600mm
049-15	500kg	1745mm	1515mm	630mm x 630mm	165mm x 65mm	750mm	171kg	560mm

Forklift Tipper Bin – BMP015NS

Dump your bulky general paper waste. This unit is considered light duty and not appropriate for steel scrap. Slip on attachment with a balanced hopper that rolls forward when loaded and unlatched. The bin then returns to an upright position. Pull the lever to unlock and release.

See Data Chart

Tyne Pocket: 190mm x 67mm

Tyne Pocket Centres: 800mm

Finish: hot dip galvanised or painted

NB: Compliance plate & serial number attached.



Code	Bin Length	Bin Width	Bin Height	O/A Length	O/A Width	Cubic CAP	WLL	Unit Weight
015 NS09	1600mm	900mm	1335mm	1800mm	990mm	1.1 cubic	1000kg	300kg
015 NS12	1600mm	1200mm	1335mm	1800mm	1290mm	1.4 cubic	1000kg	330kg
015 NS15	1600mm	1500mm	1335mm	1800mm	1590mm	1.6 cubic	1000kg	352kg
015 NS18	1600mm	1800mm	1335mm	1800mm	1890mm	2.1 cubic	1000kg	385kg

Units can be operated from the safety of the driver's seat!

Visit our website for specification sheets

Forklift Tipper Bin – BMP015OS

Heavy, dense items such as steel scrap and gravel are easily released with this slip on attachment.

The lever is positioned at the back of the bin, so the operator can easily unload into larger skips. This unit is considered extra strong.

See Data Chart

Tyne Pocket: 190mm x 67mm

Tyne Pocket Centres: 710mm

Finish: hot dip galvanised or painted

NB: Compliance plate & serial number attached.



Code	Bin Length	Bin Width	Bin Height	O/A Length	O/A Width	Cubic CAP	WLL	Unit Weight
015 OS04	1080mm	900mm	520mm	1535mm	1080mm	0.4 cubic	1000kg	180kg
015 OS08	1470mm	900mm	910mm	1935mm	1080mm	0.8 cubic	1000kg	210kg

All Bremco's forklift attachments comply with AS2359

Visit our website for specification sheets

Forklift Tipper Bin – BMP015JS

Lift or tip? Why not both?

Similar in features to the OS style bin, this unit has the added advantage of overhead crane lifting. This feature allows for positioning of the bin in awkward locations. The unit features a double locking device and is also certified to Australian Standards AS4991.

See Data Chart

Tyne Pocket: 190mm x 67mm

Tyne Pocket Centres: 640mm

Lifting Eye Centres: 870mm

Finish: hot dip galvanised or painted

NB: Compliance plate & serial number attached.



Code	Bin Length	Bin Width	Bin Height	O/A Length	HCoG	VCoG	O/A Height	Cubic CAP	Weight	WLL
015 JS09	1580mm	900mm	880mm	1730mm	625mm	370mm	1185mm	0.8 cubic	213kg	1000kg
015 JS11	1580mm	1200mm	880mm	1730mm	625mm	370mm	1185mm	1.0 cubic	250kg	1000kg

Visit our website for specification sheets

Bottom Dump Bin – BMP092

Drop your load (appropriately)!

Take advantage of spring shock absorption and a clean product drop within a confined space with these two models.

The floor-drop allows solid waste to be easily dumped from the bin while lifted on the fork's tyres.

Size 1: 1220mm x 1050mm x 1085mmH

Size 2: 1220mm x 1050mm x 560mmH

WLL: 1000kg

Weight: 1: 255kg 2: 187kg

HCoG: 520mm

Tyne Pockets: 160mm x 65mm

Tyne Pocket Centres: 684mm

Finish: hot dip galvanised or painted

NB: Compliance plate & serial number attached.



Visit our website for specification sheets

Scrap Bin Hopper – BMP047

Store and dump your scrap metal or timber waste on site. The tapered floor of the unit ensures product is dispersed efficiently into larger bins. This unit can also be fitted with heavy duty castor wheels to allow manual movement as an additional extra.

Size: 2400mm x 1180mm x 1150mmH

WLL: 2000kg

Weight: 315kg

HCoG: 600mm

Tyne Pockets: 190mm x 67mm

Tyne Pocket Centres: 700mm

Finish: painted enamel

NB: Compliance plate & serial number attached.



Self Dumping Hopper – BMP056

Quickly unload your cardboard and rag waste from the driver's seat. The tapered floor of the unit ensures product is dispersed efficiently into larger bins. This unit can also be fitted with heavy duty castor wheels to allow manual movement as an additional extra.

Image shown with optional castors.

Size: 1585mm x 1180mm x 1800mmH

WLL: 750kg

Weight: 112kg

HCoG: 600mm

Tyne Pockets: 160mm x 60mm

Tyne Pocket Centres: 560mm

Finish: painted enamel

NB: Compliance plate and serial number attached.



Forklift Bag Lifter – BMP069a

Transport and dispense bulk bags in a safe manner using your fork lift truck.

The bulk bags can be attached on the four swivel hooks, allowing lateral movement of the bag and easy dispensing with the tied base cleanly exposed.

This unit is a fully certified lifting device.

Size: 910mm x 1050mm x 150mmH

WLL: 2000kg

Weight: 72kg

HCoG: 600mm

Tyne Pockets: 190mm x 67mm

Tyne Pocket Centres: 850mm

Finish: painted enamel

NB: Compliance plate and serial number attached.



Forklift Bag Lifter – BMP069b

All Bremco's forklift attachments comply with AS2359

Transport and dispense bulk bags in a safe manner using your fork lift truck. This bulk bag lifter allows easy unloading of shipping containers with bulk bags stacked two high.

Size: 1925mm x 800mm x 800mmH

WLL: 1500kg

Weight: 185kg

HLC: 1470mm

Tyne Pockets: 190mm x 67mm

Tyne Pocket Centres: 600mm

Finish: painted enamel

NB: Compliance plate and serial number attached.



Forklift Spreader – BMP054

Carry wide loads without damaging the product. This unit features a rear headboard welded into the frame.

See Data Chart

Finish: painted enamel

NB: Compliance plate and serial number attached.



Code	WLL	Size	Pocket Centres	Tyne Pockets	Weight	Headboard Height	HCoG
BMP054	2500kg/600mm load centre	3000mm x 1250mm	715mm	150mm x 60mm	280kg	750mm	560mm
BMP055	2500kg/600mm load centre	3000mm x 1250mm	715mm	150mm x 60mm	210kg	no headboard	600mm

All Bremco's Spreaders comply with AS2359 and a compliance plate is attached.


Forklift Spreader – BMP055

Turn your forklift truck into a wide-load carrier with this slip on spreader. This unit allows the operator to carry wide loads safely and without damaging the product.

See Data Chart

Finish: painted enamel

NB: Compliance plate and serial number attached.



Wheelie Bin Tipper – BMP079

Empty your wheelie bins with ease using this slip on forklift attachment.

This unit comes in three versions - a single, double or bulki bin model. The bin is positioned in the tipper using a ratchet assembly and a steel locator plate for safe operation.

The latch mechanism allows control from the driver's seat.

See Data Chart

Finish: painted enamel

NB: Ratchet straps included



BMP079-1B

All Bremco's Wheelie Bin Tippers comply with AS2359 and a compliance plate and serial number is attached.



BMP079-2B



BMP079-BB

Code	WLL	O/A Length	Tyre Pockets	Pocket Centres	Weight	Height	O/A Width	HCoG	VCoG
BMP079-1B	300kg	1225mm	140mm x 65mm	400mm	72kg	625mm	670mm	620mm	212mm
BMP079-2B	500kg	1225mm	140mm x 65mm	400mm	110kg	625mm	1221mm	620mm	212mm
BMP079-BB	500kg	2150mm	140mm x 65mm	515mm	150kg	715mm	1535mm	1195mm	212mm

Forklift Tarp Spreader – BMP064

Safely spread tarps across loads with this convenient slip-on attachment; designed to be compatible with most standard Class 2 Fork Truck carriages.

The unit is designed to support the load on either side of the A-frame support, with a 3 metre removable pole that can be stored easily when not in use.

Size: 915mm x 3920mm x 575mmH

WLL: 250kg

Weight: 123kg

HCoG: 595mm

Tyne Pockets: 160mm x 65mm

Tyne Pocket Centres: 735mm

Finish: Powder coated

NB: Compliance plate and serial number attached.



Forklift Broom Attachment – BMP119

Sweep areas contaminated by litter, cans, cartons and gravel with your forklift or tractor using this slip on attachment, also designed to sweep or move grain, sand, rocks, glass, mud, leaf debris and many other materials. The unit is designed with 8 rows of filament, for positive brush retention and safe sweeping.

Refill brush units are available.

Size: 1545mm x 245mm x 300mmH

Finish: powder coated blue

NB: Positive broom clamping for forklift tyres
Compliance plate and serial number attached.



Container Ramp (Bi-Fold) - Self Levelling – BMP027

Access standard shipping containers with the bi-fold BMP027 Container Ramp. Forklift operators approach containers straight on and then, once in position, the small ramp section is folded over to form a full ramp section approximately 2100mm long.

Transporting the ramps is made simple with fork pockets installed under the main body of the unit.



Code	WLL	O/A Length	Tyne Pockets	Pocket Centres	Width	Weight	Height
027-40	4000kg	2100mm	190mm x 65mm	720mm	2280mm	385kg	110mm
027-65	6500kg	2100mm	190mm x 65mm	720mm	2280mm	483kg	110mm
027-95	9000kg	2100mm	190mm x 65mm	720mm	2280mm	504kg	110mm

Container Ramp (Fixed) – BMP027

Bremco's BMP027 Fixed Container Ramp has been designed as a fixed frame as an alternative to our bi-fold ramp.

This unit is fitted with pockets on each side to allow side shifting to the container door access.

The new 1800mm long model has been particularly designed to enable pallet trucks access to standard shipping containers.



Code	WLL	O/A Length	O/A Width	Tyne Pockets	Pocket Centres	Weight	Height
027-60F15	6000kg	1500mm	2280	170mm x 67mm	535mm	195kg	150mm
027-60F18	6000kg	1800mm	2280	170mm x 67mm	535mm	227kg	150mm

DRUM HANDLING EQUIPMENT

Single Drum Lifter – BMP073

This unit is ideal for high volume lifting situations, up to 70 drum movements per week with the automatic parrot beak clamp.

Designed to handle all drums, including the ISO drum, this unit can even be set up for fibre and plastic drums, and simply slides on to the forks, securing safely with a chain.

Operators don't need to leave their seat!

Size: 1140mm x 840mm x 990mmH

WLL: 680kg

Weight: 100kg

HCoG: 630mm

Tyne Pockets: 180mm x 65mm

Tyne Pocket Centres: 666mm

Finish: painted enamel

NB: Compliance plate + serial number attached.



Double Drum Lifter – BMP041

Speed and efficiency makes this attachment ideal for situations requiring 250+ drum movements per week.

Designed to handle up to 680kg per drum, this unit is compatible with all sizes of open top and closed head drums. Steel, plastic or fibre drums (with the fibre drum guard accessory) can be moved with this unit.

Size: 1050mm x 840mm x 990mmH

WLL: 1365kg

Weight: 280kg

HCoG: 805mm

Tyne Pockets: 180mm x 65mm

Tyne Pocket Centres: 910mm

Finish: painted enamel

NB: Compliance plate + serial number attached.



Forklift Drum Inverter – BMP021

The BMP021 enables drums to be inverted safely in your warehouse, which is ideal for racking applications where horizontal storage is encountered.

Size: 1660mm x 660mm x 560mmH

WLL: 365kg

Weight: 97kg

HCoG: 600mm

Tyne Pockets: 180mm x 65mm

Tyne Pocket Centres: 450mm

Finish: painted enamel

NB: Compliance plate & serial number attached.



Forklift Drum Handler – BMP023

Handle steel, fibre or plastic drums with a top lip or chime. These units are suitable for 30 to 55 gallon drums (200 litres) and fit on fork tyne. Two models are available.

See Data Chart

Liftomatic Parrot Beak Clamping System

Finish: powder coated yellow

NB: Compliance plate & serial number attached.



Code	Length	Height	Width	Pocket Size	Pocket Centres	WLL	Weight	HCoG
023-LD01	810mm	970mm	785mm	160mm x 60mm	585mm	340kg	45kg	490mm
023-LD02	810mm	970mm	785mm	180mm x 75mm	585mm	650kg	55kg	490mm


Forklift Drum Clamp – BMP086

Handle steel drums with an automatic drum clamp and a quick-slide two-position adjustment.

See Data Chart

Finish: painted enamel

NB: Compliance plate + serial number.



Code	Length	Width	Height	Pocket Size	Pocket Centres	WLL	Weight
086-S	1100mm	710mm	120mm	140mm x 50mm	560mm	500kg	48kg
086-D	1420mm	1335mm	450mm	140mm x 90mm	560mm	500kg	131kg

Forklift Drum Rotator (Light Duty) – BMP094

Easily lift, raise and tilt loaded drums.

This unit includes a three metre pull-chain loop, allowing control from the driver's seat.

Recommended for occasional use - for information on a more heavy duty unit, please contact us nation wide on 1300 273 626

Size: 950mm x 990mm x 530mmH

WLL: 350kg

Weight: 75kg

HCoG: 450mm

Tyre Pockets: 180mm x 65mm

Tyre Pocket Centres: 800mm

Finish: painted enamel

NB: Compliance plate and serial number attached.



Forklift Drum Rotator (Heavy Duty) – BMP083

Safely rotate and decant your drums.

A unique, gear-driven attachment, this unit allows the operator to safely rotate and decant the contents of a standard 205 litre drum using the efficiency of a positive clamping system.

Size: 1100mm x 1080mm x 250mmH

WLL: 750kg

Weight: 112kg

HCoG: 600mm

Tyne Pockets: 180mm x 75mm

Tyne Pocket Centres: 860mm

Finish: painted enamel

NB: Compliance plate and serial number attached.



Drum Grab – BMP091

Safely shift and lift steel or plastic drums. Extract a drum from a cluster without disturbing the surrounding drums. This drum grab can be fitted to any lifting device, is self-centring and has the ability to lock on without coming off until required. This unit maintains its reliability even when working in harsh conditions.

WLL: 1000kg

Weight: 8kg

Finish: powder coated yellow

NB: Compliance plate attached.



NOT EXACTLY WHAT YOU ARE LOOKING FOR?

SPEAK TO OUR FRIENDLY SALES TEAM WHO CAN WORK WITH YOU TO FIND A SOLUTION. ☎ 1300 273 626

Drum Trolley and Rack – BMP020

This unit aids with ergonomically safer manual movement of drums and can be used as a horizontal rack for decanting product. Once the drum is horizontal on the rack, rotate the drum to the desired position with the horizontal nylon rollers, to allow perfect tap positioning.

Size: 787mm x 432mm x 570mmH

WLL: 450kg **Weight:** 33kg

Wheels: 250mm diameter rubber on cast centre

Finish: painted yellow enamel

NB: Compliance plate attached.

**Most suited to metal drums, check for fibre drums.*

Drum Handtruck – BMP026

The Drum Handtruck allows carting and transporting of 200 litre plastic drums and is adjustable to suit 30 to 44 gallon drums (200 litres).

The infinite height adjustment and an automatic safety lock, along with the unique parrot beak clamping system facilitates drum engagement, while rear castor wheels ensure load stability.

Size: 405mm x 610mm x 1524mmH

WLL: 450kg

Weight 026-S: 30kg - suitable for square style drums

Weight 026-P: 33kg - suitable for mauser style drums

Wheels: 250mm diameter rubber on cast centre

Finish: painted yellow enamel

NB: Safety locking mechanism



BMP 026-S



BMP 026-P



Portable Drum Rotator – BMP077

The BMP077 is a pump system designed to lift, empty and transport drums containing liquids or dry materials.

The hand-operated crank handle allows easy mixing of drum contents, controlled pouring and the ability to stop at any angle through rotation.

attempting to hold and tip heavy drums puts all workers at risk of manual injury. improve your ohs rating by using the BMP077 to eliminate such risks.



Size: 1190mmL x 890mmW x 2020mmH

Wll: 225kg

Weight: 190kg

Finish: painted enamel

Wheels: heavy duty nylon

Maximum lift height: 1350mm

Rotation: 180 degree

NB: Handle to aid rotation and flow control

TROLLEY SYSTEMS


Transit Trolley – BMP004

Bremco's BMP004 Transit Trolleys are perfect for moving items around your warehouse. They can be fitted with rubber mat decking, a **safety lip** surround frame or a **clipboard attachment** as optional extras.

NOTE: Pneumatic wheels also an option.

CLIPBOARD ATTACHMENT

BMP004 Clip



2 SHELF TROLLEY BMP004S2



3 SHELF TROLLEY BMP004S3



Size of both models: 1100mm x 600mm x 1000mmH

WLL of both models: 400kg static or 320kg mobile

Weight of S2: 36kg

Weight of S3: 58kg

Wheels of both models: 125mm diameter blue rubber castors

Finish: powder coated blue

NB: Solid sheet metal base. Clipboards are optional extra.

Distance between shelves: S2 is 690mm. S3 is 330mm.

NOT EXACTLY WHAT YOU ARE LOOKING FOR?
SPEAK TO OUR FRIENDLY SALES TEAM WHO CAN WORK WITH
YOU TO FIND A SOLUTION. ☎ 1300 273 626

Small Warehouse Trolleys – BMP009

Bremco manufactures three models of the Small Warehouse Trolley, with pram style handles offering a safe ergonomic design.

These units hold a standard No.10 or No.15 plastic bin.

Clipboard attachments can be added to the trolleys.

Finish: powder coated blue

NB: Solid sheet metal base.

Bins and clipboard attachments sold separately as optional extra.

No. 10 Bin: 645mm x 413mm x 276mm (52 litre)

No. 15 Bin: 645mm x 413mm x 397mm (68 litre)

Model	Size	WLL	Castor	Weight
Single	630mm x 420mm x 915mmH	200kg	100mm black nylon	14kg
Double	880mm x 420mm x 915mmH	200kg	100mm black nylon	16kg
Bulki	850mm x 650mm x 900mmH	200kg	125mm blue rubber	22kg



CLIPBOARD ATTACHMENTS



Large Warehouse Trolleys – BMP007

Bremco's BMP007 Large Warehouse Trolley provides an ideal solution for picking and packing bulk stock items, especially multi-pick orders around the warehouse or storeroom.

Size: 2000mm x 1000mm x 1855mmH
WLL: 750kg
Weight: 181kg
Wheels: 200mm diameter urethane castors
Finish: powder coated blue
NB: Distance between shelves is 500mm.



Medium Warehouse Trolleys – BMP061

Bremco's BMP061 Medium Warehouse Trolley is a conveniently sized unit that allows bulk picking of orders. The Trolley is manufactured with a sturdy steel frame and heavy mesh panels.

Size: 1620mm x 570mm x 1420mmH
WLL: 500kg
Weight: 61kg
Wheels: 125mm diameter urethane castors
Finish: powder coated blue
NB: Top Shelf 970mm high. Lower Shelf 440mm high.



Multi-Parts Trolley – BMP121

This trolley allows the operator to pick and pack multiple small parts and boxes on to shelves for direct despatch.

The timber shelves minimise damage to specialised goods and can be loaded with up to 50kg of weight.

Size: 1200mm x 600mm x 1800mmH
WLL: 300kg (50kg per shelf)
Weight: 81kg
Wheels: 125mm urethane castors
Finish: powder coated blue
NB: 12mm plywood shelves



The units above are supplied with 2 fixed, 1 swivel and 1 swivel brake castors.

Flatbed Trolleys – BMP006

Bremco's BMP006 Flatbed Trolleys are ideal transport devices for all your large and heavy warehouse items and are available in four standard sizes.

These units are industrial quality and will handle tough conditions.

See Data Chart

Clipboards are an optional extra.
(as shown on page 26)

Finish: powder coated blue

NB: All models are fitted with four castors, including one braking castor. Large and Super models can be fitted with six castors.



Model	Deck Size	WLL	Castor DIA	Weight
Small	800x500mm	400kg	125	26kg
Medium	1100x600mm	400kg	125	30kg
Large	1200x900mm	750kg	150	40kg
Large (Double Handles)	1200x900mm	750kg	150	45kg
Super (Double Handles)	1800x900mm	750kg	150	60kg

Parts Trolley – BMP072

Bremco's BMP072 Parts Trolleys are designed and manufactured to handle tough conditions with full steel construction and mesh sides.

This trolley has a top bin section for storing awkward parts and a clear bottom shelf for carton stock.

Size: 610mm square x 975mmH

WLL: 400kg

Weight: 35kg

Wheels: 100mm diameter black nylon castors

Finish: powder coated blue

NB: Useable shelf space.



NOTE: Pneumatic wheels are available as an optional extra on some models

NOT EXACTLY WHAT YOU ARE LOOKING FOR?
SPEAK TO OUR FRIENDLY SALES TEAM WHO CAN WORK WITH
YOU TO FIND A SOLUTION. 1300 273 626

Scissor Lift Table Trolley – BMP031, BMP032, BMP033

Scissor Lift Table Trolleys offer a great way to move heavy parts around your warehouse or factory before lifting or lowering the platform as a work station, or in live of manually lifting heavy units.

The foot pump control operates the scissor lift with a handle release mechanism and the various models available cater to all industries.

See Data Chart

Finish: powder coated blue

NB: All models are fitted with a foot pump mechanism and a hand grip lowering mechanism.



Code	WLL	Max Height	Min Height	Deck Size mm	Handle Height	O/A Length	Pedal Cycles	Wheel Diameter	Weight
031	150kg	720mm	220mm	700x450	825mm	780mm	25	100mm	45kg
032	300kg	880mm	295mm	850x500	1000mm	935mm	32	125mm	77kg
032 - 350	350kg	1340mm	370mm	910x500	970mm	980mm	55	125mm	105kg
033	500kg	880mm	295mm	850x500	1000mm	935mm	45	125mm	81kg
033 - 1000	1000kg	950mm	445mm	1010x520	1130mm	935mm	80	150mm	137kg

Panel Box Trolley – BMP035

Bremco's BMP035 Panel Box Trolley is designed to safely transport and store any item in your warehouse. It is fabricated using sheet metal paneling and a half drop-down gate is featured to assist with loading and unloading.

Size: 1055mm x 655mm x 960mmH

WLL: 500kg

Weight: 47kg

Wheels: 150mm diameter urethane castors

Finish: powder coated blue

NB: Drop down gate on one side.
1.6mm sheet metal panels.
Sheet metal floor.



**These units are also available with pneumatic wheels.
Great for hotel service as linen trolleys!**

Wire Mesh Trolley – BMP036

Bremco's BMP036 Wire Mesh Trolley has been designed to transport and store items in your warehouse or factory whilst allowing stock to be viewed for identification purposes.

This unit has a drop-down half gate on one side for convenient loading and unloading purposes.

Size: 1055mm x 655mm x 960mmH

WLL: 500kg

Weight: 40kg

Wheels: 150mm diameter urethane castors

Finish: powder coated blue

NB: Drop down gate on one side.
50mm square mesh panel sides.
Sheet metal floor.



A-Frame Trolley – BMP096

Bremco's BMP096 A-Frame Trolley is ideal for moving vertical style products such as plasterboard, glass, whiteboards and timber. The balanced design allows for the load to be centralised and ensures safe movement of product around the factory. The units are supplied with 2 fixed, 1 swivel, 1 swivel brake castors.

Ratchet strap support assembly and rubber matting can be added as optional extras.

Size: 1250mm x 600mm x 1170mmH (deck length is 935mm)

WLL: 500kg

Weight: 45kg

Wheels: 200mm diameter black rubber castors

Finish: powder coated red



NOTE: Pneumatic wheels are available as an optional extra on some models

"Dolly" Trolleys – BMP044

Bremco's BMP044 Dolly Trolleys move heavy loads safely using pneumatic wheels to get across all types of terrain. The tag-a-long handle clips into the vertical position when not in use and can be removed if needed.

Heavy duty steel construction with solid floor and mesh panel sides mean that most small and heavy parts can be moved.

Finish: powder coated blue



Code	Dimensions	WLL	Wheel Diameter	Weight
BMP044S	800mm x 500mm x 550mmH	250kg	200mm	30kg
BMP044L	1100mm x 600mm x 550mmH	250kg	200mm	34kg

Gas Cylinder Trolley Twin (crane/fork lift) – BMP029

Bremco's BMP029 is designed to be pushed, crane-lifted or fork-lifted around the work site. Ideal for use on construction sites where traditional trolleys may be difficult to manoeuvre around the site.

The overhead lifting frame is tested and certified to AS4991 and each trolley is tagged and tested, then supplied with a rating plate to meet the standard.

Suitable for twin cylinder storage.

Size: 1000mm x 500mm x 1730mmH

WLL: 250kg

Weight: 55kg

Wheels: 220mm pneumatic wheels

Finish: powder coated yellow



Gas Cylinder Trolley Single (crane lift) – BMP112C

This unit is designed to hold a single cylinder and is ideal for chlorine or LPG cylinders. Use this trolley to push, lift, store and manouvre on site.

Size: 625mm x 725mm x 1685mmH

WLL: 150kg

Weight: 45kg

Wheels: 220mm pneumatic wheels

Finish: powder coated yellow

Lifting Frame is 470mm wide.

NB: This item is tagged and tested certified with a serial number.



Gas Cylinder Trolley (support wheels) – BMP078

This trolley is designed to help with the heavy lifting of large cylinders, such as 45kg Propane Gas cylinders. The Cylinders are easily secured with the ratchet assembly supplied and the trolley has rear castor wheels for additional safety.

Size: 1235mmH x 500mm wide

Shoe Size: 200mm x 320mm

WLL: 200kg

Weight: 21kg

Wheels: 220mm pneumatic wheels

Finish: powder coated blue



Gas Cylinder Trolleys – BMP017

Bremco's series of gas trolleys are designed to safely move and store cylinders around your work site, with solid steel shoes and safety chains to secure the load.

A tool tray and hose rack can be added as optional extras.



Code	Size	WLL	Wheels	Finish
BMP017-GP	630mm x 1350mm high	150kg	400mm pneumatic	powdercoated
BMP017-GS	300mm x 1250mm high	150kg	200mm solid	powdercoated

“Braking” Platform Trolley – BMP161

A unique platform trolley system using a “dead man” brake that keeps the trolley from moving when not in use. The handle has to be depressed to disengage the brake.

Platform size: 900x600mm

Lower deck height: 215mm

Upper deck can be adjusted to suit (if needed)

125mm diameter castors

Handle height: 1050mm approx.

Powder coated blue finish



NOT EXACTLY WHAT YOU ARE LOOKING FOR?
SPEAK TO OUR FRIENDLY SALES TEAM WHO CAN WORK WITH
YOU TO FIND A SOLUTION. 1300 273 626

LIFTING AND HOISTING

Man Cage (crane lift) – BMP068

Designed by our Engineer in strict accordance with Australian Standard AS1418.17, the BMP068 Man Cage allows two people (maximum) to be lifted using an overhead crane system and is available with or without a roof.

Bremco's Man Cage is manufactured standard with a four point lift as well as safety harness attachment points to meet all safety requirements.

4-Leg Chains can be supplied as an optional extra.



BMP068S

Size: 1200mm x 1050mm x 2205mmH

WLL: 250kg

Weight: 168kg

Finish: painted yellow enamel

NB: internal lanyard point attachments

All units are tested, tagged and compliance plate and serial number attached.

Single Man Cage (crane lift) – BMP115

The single man cage has all the utility of the BMP068, made suitable for use in confined spaces. To be occupied with one worker at a time only.

To conform to legal requirements, ensure this unit is occupied only by one person at a time when in use.

Size: 600mm x 600mm x 2200mmH

WLL: 250kg

Weight: 78kg

Finish: painted yellow enamel

NB: internal lanyard point attachments

All units are tested, tagged and compliance plate and serial number attached.

All Bremco crane lift attachments are individually proof load tested in accordance with AS4991.



BMP068L



Large Goods Cage (crane lift) – BMP098

Size: 4000mm x 2300mm x 1700mmH

WLL: 2000kg

Weight: 830kg

HCoG: 1150mm

Tyne Pockets: 220mm x 65mm

Tyne Pocket Centres: 820mm

Finish: DuraGal

NB: The four crane-lift points standard with fitted bow shackles.



The BMP098 Large Goods Cage is ideal for the airconditioning industry and for construction companies wanting to lift products safely onto highrise buildings.

The cage has been designed to enable the lifting of large and awkward products with the use of four-point lifting eyes.

Note: The BMP098 is not to be used for lifting staff or personnel under any circumstances.

All units are tested, tagged and compliance plate and serial number attached.

Easy Lift Stillage – BMP117

This unit has been designed to safely and efficiently transport reinforcing steel, long pipe, ducting or tubular steel from the supplier to the work site, all in a single load.

The cells can be arranged with a forklift when empty and stacked four units high. The forklift can also load the units onto a truck before they're driven to site and crane lifted safely onto highrise buildings.

Size: 9200mm x 1170mm x 420mm (internal height)

WLL: 4500kg

Weight: 1038kg

Finish: painted enamel



Goods Cage (crane lift) – BMP018

Bremco's Crane-Lift Goods Cage has been designed and engineered for use with most overhead crane systems, and can be transported using forklifts.

The unit features a full swing gate, allowing you to place a standard timber pallet inside the cage.

These cages have four lifting points fully welded into the frame which are designed in accordance with AS4991.

4-Leg Chains are an optional extra.

Note: The BMP018 is not to be used for lifting staff or personnel under any circumstances.

Size: 1370mm square x 1210mmH

WLL: 1000kg

Weight: 203kg (sheet) 160kg (mesh)

Finish: painted yellow enamel



Brick Cage – BMP110

Lift pallets of bricks or similar products safely to work locations via overhead crane.

This unit is suitable for standard timber pallets and suitably ensures your site exceeds the requirements of Australian Standards.

Size: 1300mm square 1240mmH

WLL: 2000kg

Weight: 127kg

Tyne Pockets: 175mm x 75mm

Tyne Pocket Centres: 500mm

Finish: hot dip galvanised

NB: The four crane-lift points standard with fitted bow shackles.



All Bremco crane lift attachments are individually proof load tested in accordance with AS4991.

Goods Cage (double pallet) – BMP122

Bremco's Double Pallet Goods Cage is engineered for use with most overhead crane systems, and can be transported using forklifts or pushed manually. It features two swing gates, allowing clear access

for two standard pallets. These cages have four lifting points fully welded into the frame which are designed in accordance with AS4991.

4-leg chains are an optional extra.



Site Bin – BMP046

The Site Bin can be crane or fork lifted around the work site and has been used successfully on high rise construction sites.

This unit is fully compliant with AS4991 and AS2359. As an option - these units can also be made with a rear "drop-down" door to allow full access into the bin.

Size: 1820mm x 1180mm x 1050mmH

WLL: 2000kg

Weight: 385kg

HCoG: 600mm

Tyne Pockets: 190mm x 90mm

Tyne Pocket Centres: 750mm

Finish: painted grey enamel



All Bremco crane lift attachments are individually proof load tested in accordance with AS4991.

Dumpmaster Bin (crane lift) – BMP105

Bremco's "Dumpmaster" Bins are the ideal way to hoist product and then empty quickly using the rear leg lift points.

These bins are supplied with a 6 Leg Lift and have been certified in accordance with AS4991. There are several sizes available and they are supplied standard in a painted enamel finish.



Code	Bin Length	O/A Width	O/A Height	Cubic	WLL	Tyne Pocket Centres	Tyne Pockets
BMP105-10	1940mm	980mm	950mm	1.2m	2000kg	700mm	250mm
BMP105-20	2250mm	1310mm	950mm	2.0m	3000kg	780mm	300mm
BMP105-30	2870mm	1610mm	950mm	3.0m	3000kg	810mm	340mm

All Bremco crane lift attachments are individually proof load tested in accordance with AS4991. All have compliance plates and serial numbers attached.

Spreader Beam – BMP116

This unit is designed to spread a two legged top sling and boasts better stability than a lifting beam and a higher potential capacity for a given size of steel section used.

Note: Spreader beams require more headroom than lifting beams due to the two legged sling arrangement at the top.

Size: 2400mm x 120mm x 470mm

Lifting Centres: 2250mm closed
3690mm extended

WLL: 12000kg

Weight: 95kg

Finish: painted enamel

Centre Lifting Lug WLL: 3400kg



Pallet Hooks – BMP037

Bremco's BMP037 Pallet Hooks are designed for the overhead lifting of palletised goods by Crane Truck or Gantry Cranes and are typically used in the construction industry to move products such as bricks, blocks, timber, cement and tiles.

These units have a load balancing slip-ring that can be positioned to suit the centre of gravity on the lifted load, and adjustable forks are standard with our units, allowing fast adjustment for the operator.



Code	O/A Height	O/A Width	WLL	Tyne Centres	Tyne Dims	Tyne Length	Clear Open	Weight
037 - 10	1675mm	900mm	1000kg	740mm	130mm x 40mm	1055mm	1400mm x 1055mm	120kg
037 - 20	1800mm	1000mm	2000kg	840mm	130mm x 40mm	1055mm	1520mm x 1055mm	160kg

**All Bremco crane lift attachments are individually proof load tested in accordance with AS4991.
All have compliance plates attached.**

Economy Site Bin – BMP210

Bremco manufactures this work site bin as an economy model that is proof load tested and tagged in accordance with AS4991. These units can be stacked inside each other for economical transport and have fork pockets under base to allow movement by forklift as well as crane.

Size: 1800mmL x 900mmW x 900mmH

WLL: 1500Kgs

Tare: 210 Kgs

Tested & Tagged to AS4991



IS YOUR SAFETY REGISTER UP-TO-DATE?
SPEAK TO OUR FRIENDLY SALES TEAM WHO CAN WORK WITH
YOU TO FIND A SOLUTION. ☎ 1300 273 626

STORAGE AND ACCESS EQUIPMENT

Gas Cylinder Pallet – BMP019

Storing and transporting gas cylinders is made easy with Bremco's BMP019 Gas Cylinder Pallet.

Made with a convenient drop ramp allowing cylinders to be easily rolled into the cage without unsafe heavy lifting. A webbing sling is included to secure and fasten cylinders of all sizes and combinations.

Size: 1300mm square x 1000mmH

WLL: 1250kg

Weight: 65kg

Finish: painted safety yellow enamel

Galvanised option available



Safely holds 12 x G or E size cylinders

Donation Bin – BMP065

With a sturdy steel frame, lock box for safety and pull down door for easy deposit of donations, the Bremco Donation Bin is ideal for charities collecting all types of goods.

These units can be painted in a high gloss enamel finish to a standard colour of your choice.

Size: 1000mm square x 1800mmH

WLL: 500kg

Weight: 101kg

Finish: painted enamel – your choice of colour.

Access chute at front for donations

Large access door at front for collections

A rear access door can be installed if required



Optional extra – locating feet welded into four corners.

Gas Cylinder Cages – BMP048C & BMP048D

Securely store your forklift gas cylinders in this gas cage to meet the Australian Standards.

The Gas Cylinder Cage comes standard with a hinged and locking lid section and a fully open gate section. The Cage comes with a placard on the front section displaying the relevant dangerous goods codes.

Bremco's BMP048D features the same strength and durability as our BMP048C, but with double the capacity.

**HMP048C Holds 6 x 18kg
fork gas cylinders upright**
**HMP048D Holds 12 x 18kg
fork gas cylinders upright**

Code	Size	WLL	Weight	Finish
048 - C	1040mm x 690mm x 1090mm	250kg	55kg	powder coated red
048 - D	1340mm x 1040mm x 1090mm	250kg	70kg	powder coated red



Scaffold Pallet – BMP084

Bremco's BMP084 Scaffold Pallet can be loaded with product to a maximum load of 500kgs and stacked up to 4 units high.

This unit is constructed from heavy wall 50mm SHS and built with convenience in mind, offering a quick and easy solution for moving scaffolding from job to job.

Our Scaffold Pallet also provides a way to store your scaffolding when not in use.

Size: 930mm square x 705mmH
WLL: 500kg
Weight: 30kg
Finish: painted black enamel
Standard square pallet feet on posts
Galvanised option available



NOT EXACTLY WHAT YOU ARE LOOKING FOR?
SPEAK TO OUR FRIENDLY SALES TEAM WHO CAN WORK WITH
YOU TO FIND A SOLUTION. 1300 273 626

TYRE STILLAGES

Tyre Stillages

Bremco manufactures these specially designed tyre stillages that can be collapsed when not in use or transporting between warehouses. Each unit is designed to hold a safe working load of 400Kgs and can be stacked up to 5 units high when erected, using our safe lock at the hinge points.

These units are manufactured using Duragal steel to minimise rust and wear.

Size	WLL	Weight
TRUCK TYRE STILLAGE		
1000mm x 2265mm x 1195mm	500kg	65kg
LIGHT TRUCK TYRE STILLAGE		
1250mm x 2265mm x 1055mm	500kg	65kg
PASSENGER TYRE STILLAGE		
1000mm x 2265mm x 795mm	300kg	51kg

Pallet Feet – BMP200

Need some replacement pallet feet?
Bremco has feet to suit a:


- 50mm x 50mm square RHS post
- 130mm square x 40mm high




Truck Tyre Stillage



Light Truck Tyre Stillage



Passenger Tyre Stillage



NOT EXACTLY WHAT YOU ARE LOOKING FOR?
SPEAK TO OUR FRIENDLY SALES TEAM WHO CAN WORK WITH
YOU TO FIND A SOLUTION. 1300 273 626







PALLET CAGES

Pallet Cages

Bremco's range of pallet cages allow those "ugly stock" items to be stored safely and assist you in minimising the foot print of storage by going up > and stacking cages up to 5 units high safely and within our design standards.

Each pallet cage can be reconfigured to have sheet metal or mesh bases, sides and gates. You choose the ideal finish to cater to your needs.

The Bremco pallet cages are a low cost alternative to expensive pallet racking.



Terms and Conditions

WELCOME

1. Welcome aboard as a Bremco Metal Products Pty Ltd customer. Any order placed by you as a buyer is regarded as an order incorporating these Terms & Conditions.

PRICES

- 2i. Every quotation is an estimate only and Bremco Metal Products Pty Ltd remain free to withdraw, alter or correct the details at any time prior to our acceptance of your order.
- 2ii. Prices are subject to your order being for the whole quantity mentioned in the quotation unless otherwise negotiated.
- 2iii. Trade Order discounts are subject to minimum dollar value and can vary on a month by month basis.
- 2iv. Unless specifically provided in writing to the contrary, Bremco Metal Products Pty Ltd reserve the rights to supply quantities in accordance with our fabrication and shipping tolerances and your payment is for the quantity actually delivered.
- 2v. Bremco Metal Products Pty Ltd prices are F.O.B. The right is reserved to apply prices ruling at the time of delivery. As a manufacturer sometimes drawing on supplies from overseas or over time, special transport charges or variations in tariffs, rates of exchange, special taxes, transport charges, insurance premiums, harbour dues or similar costs and increases in wages, cost of material or otherwise which affect the goods we provide you, are to be your account. This holds good for quotations submitted and contracts made after outbreak of war.
- 2vi. All prices are plus GST, if applicable.

TERMS OF PAYMENT

- 3i. Nett cash prior to despatch of goods. Items ordered will be despatched upon receipt of payment.
- 3ii. Bremco will not hold your purchased goods for you beyond 5 days after you've been notified the goods are available for delivery.
- 3iii. For approved accounts, our terms are nett 21 days.
 - 3iv. Payment shall be made against each portion or part of the order as delivered.

DELIVERY

4. Bremco Metal Products Pty Ltd does not assume liability for loss or damages occasioned by delays in delivery. Without being liable to pay indemnity, Bremco Metal Products Pty Ltd reserves the right to cancel the contract to purchase entirely or in part or to extend the delivery time in the case of force major, lockouts, strikes or other interruptions in operation, breakdown in machinery, stoppages, time in our own sub-contractor's work, transport difficulties, terrorist activities, war, or blockade, involving Australia or any other country from which the material required for the goods on order is expected to be procured and every circumstances of political, economical or other nature beyond our control.

ADVICE

5. The staff and management of Bremco Metal Products Pty Ltd are always keen to provide helpful advice if we are at all able to. However, we cannot assume liability (whether for negligence or otherwise) for any technical advice or assistance provided, or for the results obtained from our advice. It's important to us that you feel free to ask us for advice, but you must accept all such advice being given and accepted at your risk.

RETURNS AND CLAIMS

- 6i. Upon receipt of goods you should inspect and verify that the goods are in accordance with the paperwork. If there's been a mistake, please notify us. Any claim must be received within 7 days of date of invoice, and the goods returned within 14 days of invoice in original receivable condition by you as the buyer.
- 6ii. Goods covered by this document must be returned with a Bremco Metal Products Pty Ltd Return for Credit Authorization Number. Goods are to be returned as per advice on written approval.
- 6iii. Goods returned through no fault of Bremco Metal Products Pty Ltd may incur a charge of 10% including GST of invoice value plus delivery charges. This is for restocking costs, unless a prior agreement exists.

GUARANTEE

7. Goods marketed by Bremco Metal Products Pty Ltd hold manufacturer's guarantee or unless stated. Please confirm with us. Bremco Metal Products Pty Ltd is in no way responsible for any damage which may be occasioned through use or misuse and its only liability is limited to the price paid for the goods.

SECURITY OF PROPERTY, OR 'LIEN'

- 8i. In addition to any lien to which Bremco Metal Products Pty Ltd may be statute or otherwise be entitled, we will in the event of Buyers insolvency, winding up or bankruptcy, be entitled to a general lien in respect of all property or goods belonging to you in our possession or under our control (although such goods or part thereof may have been paid) for the unpaid price of any other goods sold and delivered to you under this or any other contract.
- 8ii. Title to the goods to be delivered cannot pass to you until payment in full has been received by Bremco Metal Products Pty Ltd. Until such time, the goods always remain the property of Bremco Metal Products Pty Ltd.

LEGAL INTERPRETATION

9. This agreement and these Terms and Conditions and all disputes or difficulties arising therefore shall be governed by the law in the State of Queensland Australia.



www.bremco.com.au

☎ 1300 273 626

sales@bremco.com.au