



bremco



QUALITY FORKLIFT ATTACHMENTS
"Made in our Australian Workshop"



www.bremco.com.au





Bremco Metal Products is a 100% Australian owned and operated family business and we pride ourselves on a first hand understanding of the Australian market-place.

In this catalogue we showcase our forklift attachments designed to assist our customers' materials handling needs. Our Aussie made logo identifies the products that have been designed and manufactured in our Australian workshop.

From the GFC to the Qld floods of 2011, Bremco's been shaped by the same experiences that influence our customers' needs and decisions, and this is just one of the advantages of buying our locally made products. We take pride in ensuring our units are built to last in the Aussie environment.

Of course, the other big advantage to becoming a Bremco client hasn't changed - and that's our Money-Back Guarantee. Bremco's pride in our work is supported by our promise that if you are not completely satisfied with our products within the first two weeks of receiving them, we'll take them back free of charge and refund your investment - guaranteed.

So give us a call on:

1300 bremco (1300 273 626)

or send us an enquiry at:

www.bremco.com.au

PAYMENT OPTIONS





BMP001 Forklift Safety Cage

Use your forklift to reach new heights.

Fully welded construction for tough high-access tasks. The cage is supplied with a fixed line harness attachment point, and comes with a quality powder coated finish.

Size: 1200mm x 1000mm x 2100mmH

WLL: 250kg or 2 people

Weight: 101kg

HCoG: 550mm

VCoG: 320mm

Tyne Pockets: 164mm x 60mm

Tyne Pocket Centres: 666mm

Finish: powder coated safety yellow

NB: Removable back for convenience. Complies with AS2359.1 section 12. Compliance plate and serial number attached.



BMP001-R Forklift Safety Cage

Fully welded, cost effective design, with rail sides and full tub base. The same design as our very successful BMP001.

Size: 1200mm x 1000mm x 2100mmH

WLL: 250kg or 2 people

Weight: 97kg

HCoG: 550mm

VCoG: 320mm

Tyne Pockets: 164mm x 60mm

Tyne Pocket Centres: 666mm

Finish: painted safety yellow

NB: Removable back for convenience. Complies with AS2359.1 section 12. Compliance plate and serial number attached.



BMP111 Forklift Goods Cage

Get your products lifted to the mezzanine level safely.

This cage is manufactured to suit a standard front lift forklift and allows storage and transport of large items such as furniture and white goods.

A standard hinged ramp is permanently attached to the front of the cage, offering easy access by trolley.



Size: 1200mm square x 1100mmH
WLL: 1000kg
Weight: 110kg
HCoG: 600mm
Tyne Pockets: 164mm x 60mm
Tyne Pocket Centres: 666mm
Finish: painted safety yellow
NB: Compliance plate and serial number

BMP050 Order Picking Cage

Pick and pack goods safely at heights.

This cage is manufactured to suit electric stock pickers only, and allows the operator clear and safe access. This is a safe alternative to a standard timber pallet.



Size: 1190mm x 1290mm x 1210mmH (including tray)
WLL: 1000kg
Weight: 137kg
HCoG: 600mm
Tyne Pockets: 144mm x 57mm
Tyne Pocket Centres: 550mm
Finish: powder coated safety yellow
NB: Compliance plate & serial number attached. Timber grab rail under base for clamp connection.

BMP053 Harness + Lanyard

Secure your staff safely at height.

Boxed set includes light weight adjustable body harness with rear attachment point, and a fixed line 1.5m lanyard.

Weight: 2kg
WLL: 120kg
NB: Complies with AS1891.1. Breathable mesh panel.






BMP003 Forklift Extension Slippers

Reach further with your forklift tynes.

Bremco's Forklift Extension Slippers allow you to temporarily lengthen the tynes of your Fork Truck for load stability and are ideal for large crates or machinery items.

The slim profile of our Extension Slippers are made from fully fabricated plate sections and are hot dip galvanised for a longer life.



See data chart below

Finish: hot dip galvanised

NB: Complies with AS2359.15. Compliance plate and serial number attached.

In accordance with AS2359.15 Forklift Slippers for general use should be no longer than 167% of the supporting forklift tyn length. If the slippers are longer than this, then their use shall be restricted to their specified application.

Code	Length	Inside Pocket Dimensions	Load Rating per Pair (at 600mm HCoG)	Weight
CL2160	1600mm	145x60	3000kg	50kg
CL2180	1780mm	145x60	3000kg	57kg
CL2210	2100mm	145x60	3000kg	63kg
CL2240	2400mm	145x60	3000kg	77kg
CL3160	1600mm	164x60	5000kg	70kg
CL3180	1780mm	164x60	5000kg	78kg
CL3210	2100mm	164x60	5000kg	92kg
CL3240	2400mm	164x60	5000kg	103kg
CL4180	1780mm	180x80	8000kg	132kg
CL4210	2100mm	180x80	8000kg	155kg
CL4240	2400mm	180x80	8000kg	176kg
CL4300	3000mm	180x80	8000kg	221kg

HANDY TIP:

How do I determine the class of my fork lift truck carriage?

Class 1 fork carriages:

Rated for loads up to 907kg (2000lbs). The carriage bar spacing is 330mm.

Class 2 fork carriages:

Rated for loads up to 2517kg (5550lbs). The carriage bar spacing is 406mm.

Class 3 fork carriages:

Rated for loads up to 4536kg (10000lbs). The carriage bar spacing is 508mm.

Class 4 fork carriages:


Rated for loads up to 7031 kg (15500lbs). The carriage bar spacing is 635mm.

BMP012 Forklift Carpet Prong (slip on)

Keep your tynes and move your long rolls.

Forklift Carpet Prongs are the ideal way to handle carpet rolls, artificial turf, set up exhibitions or transport fabrics, cable, coil or steel + poly pipe.

As a slip on attachment, the BMP012 removes the need for fork tyre removal and is made of high tensile steel.



Code	Length O/A	Pole Length	Diameter	Weight	WLL	Load Centre
012 - 15	2355mm	1500mm	63.5mm	105kg	500kg	750mm
012 - 24	3255mm	2400mm	63.5mm	120kg	500kg	1200mm
012 - 30	3855mm	3000mm	70mm	133kg	500kg	1500mm

BMP014 Carpet Prong (Carriage)

Get closer access to your loads with this dedicated carriage attachment.

The BMP014 has been designed to mount directly onto the carriage of your forklift and can be adapted to suit all carriages on both electric and front-lift fork trucks.



Code	Length O/A	Pole Length	Diameter	Weight	WLL	Load Centre
014 - 15	1516mm	1700mm	63.5mm	82kg	500kg	750mm
014 - 24	2420mm	2600mm	63.5mm	102kg	500kg	1200mm
014 - 30	3025mm	3200mm	70mm	119kg	500kg	1500mm



BMP011 Forklift Fixed Jib

Lift and reach with efficiency.

Take advantage of the special slip ring, which can be moved along the saw tooth plate to achieve the optimum lifting capacity.

Visit our website for lifting capacity chart.

Size: 1825mm x 475mm x 575mmH

WLL: 750kg at 1800mm HLC
550kg at 1000mm
1500kg at 100mm

Weight: 81kg

HCoG: 625mm

Tyne Pockets: 190mm x 76mm

Tyne Pocket Centres: 275mm

Finish: hot dip galvanised

NB: Compliance plate and serial number attached.



BMP093 Short Extension Jib

Lift and place with accuracy.

This unit is designed for the transportation of long loads, which can be slung at greater centres than with a fixed jib due to the manual extension.

Visit our website for lifting capacity chart.

Size: 1250mm x 500mm x 250mmH Closed
2050mm x 500mm x 250mmH Opened

WLL: 3000kg at 1000mm HLC
4.5T at 630mm

Weight: 97kg

HLC: 600mm

Tyne Pockets: 190mm x 70mm

Tyne Pocket Centres: 300mm

Finish: hot dip galvanised

NB: Compliance plate attached.



BMP016 Forklift Economy Jib

Adapt your truck to crane lift.

Forklift Economy Jibs are an inexpensive way to convert your standard forklift into a small crane and are a great way to transport heavy, awkward items around your workshop or yard.

Size: 910mm x 500mm x 225mmH

WLL: 1000kg at 900mm HLC

Weight: 52kg

HCoG: 560mm

Tyre Pockets: 190mm x 65mm

Tyre Pocket Centres: 300mm

Finish: hot dip galvanised

NB: Compliance plate attached.



BMP002 Forklift Adjustable Swing Jib

Manoeuvre items in confined spaces using your forklift.

Multi-angle positioning allows extra height and load capacity and is easy to set using the 4 stage locating pin. Ensure the net lifting capacity remains at 0.8 times your forklift capacity to allow for a swinging load.

Visit our website for lifting capacity chart.

Size: 1865mm (closed) x 500mm x 510mm high

WLL: 2000kg at 880mm HLC
600kg at 2800mm HLC

Weight: 137kg

HCoG: 735mm

Tyre Pockets: 190mm x 65mm

Tyre Pocket Centres: 550mm

Finish: hot dip galvanised

Extension Jib Range: 1750mm to 2800mm

NB: Compliance plate attached.





BMP085 Heavy Duty Extension Jib

Convert your forklift for some intense lifting.

A forklift jib designed for the heavier range of forklift, for handling large unpalletised loads, with the added flexibility of a multi-adjustable extension.

Visit our website for lifting capacity chart.

Size: 1990mm (closed) x 900mm x 790mmH

WLL: 5000kg at 1025mm HLC

1900kg at 2550mm HLC

Weight: 260kg

HCoG: 770mm

Tyne Pockets: 190mm x 75mm

Tyne Pocket Centres: 700mm

Finish: hot dip galvanised

Extension Jib Range: 1970mm to 2550mm

NB: Compliance plate attached.



BMP090 Heavy Duty Economy Jib

Use your heavy duty fork lift as a crane with this jib for large jobs and dedicated logistical operations.

Size: 1330mm x 900mm x 225mmH

WLL: 5000kg at 865mm HLC

Weight: 163kg

HCoG: 795mm

Tyne Pockets: 190mm x 75mm

Tyne Pocket Centres: 700mm

Finish: hot dip galvanised

NB: Compliance plate attached.



BMP015NS Forklift Tipper Bin

Dump your bulky general paper waste. This unit is considered light duty and not appropriate for steel scrap. Slip on attachment with a balanced hopper that rolls forward when loaded and unlatched. The bin then returns to an upright position. Pull the lever to unlock and release.



See Data Chart

Tyne Pocket: 190mm x 67mm

Tyne Pocket Centres: 800mm

Finish: hot dip galvanised or painted

NB: Compliance plate & serial number attached.

Code	Bin Length	Bin Width	Bin Height	O/A Length	O/A Width	Cubic CAP	WLL	Unit Weight
015 NS09	1600mm	900mm	1335mm	1800mm	990mm	1.1 cubic	1000kg	300kg
015 NS12	1600mm	1200mm	1335mm	1800mm	1290mm	1.4 cubic	1000kg	330kg
015 NS15	1600mm	1500mm	1335mm	1800mm	1590mm	1.6 cubic	1000kg	352kg
015 NS18	1600mm	1800mm	1335mm	1800mm	1890mm	2.1 cubic	1000kg	385kg

Units can be operated from the safety of the driver's seat!

Visit our website for specification sheets

BMP015OS Forklift Tipper Bin

Heavy, dense items such as steel scrap and gravel are easily released with this slip on attachment.

The lever is positioned at the back of the bin, so the operator can easily unload into larger skips. This unit is considered extra strong.



See Data Chart

Tyne Pocket: 190mm x 67mm

Tyne Pocket Centres: 710mm

Finish: hot dip galvanised or painted

NB: Compliance plate & serial number attached.

Code	Bin Length	Bin Width	Bin Height	O/A Length	O/A Width	Cubic CAP	WLL	Unit Weight
015 OS04	1080mm	900mm	520mm	1535mm	1080mm	0.4 cubic	1000kg	180kg
015 OS08	1470mm	900mm	910mm	1935mm	1080mm	0.8 cubic	1000kg	210kg

Visit our website for specification sheets



BMP015JS Forklift Tipper Bin

Lift or tip? Why not both?

Similar in features to the OS style bin, this unit has the added advantage of overhead crane lifting. This feature allows for positioning of the bin in awkward locations. The unit features a double locking device and is also certified to Australian Standards AS4991.

See Data Chart

Tyne Pocket: 190mm x 67mm

Tyne Pocket Centres: 640mm

Lifting Eye Centres: 870mm

Finish: hot dip galvanised or painted

NB: Compliance plate & serial number attached.



Code	Bin Length	Bin Width	Bin Height	O/A Length	HCoG	VCoG	O/A Height	Cubic CAP	Weight	WLL
015 JS09	1580mm	900mm	880mm	1730mm	625mm	370mm	1185mm	0.8 cubic	213kg	1000kg
015 JS11	1580mm	1200mm	880mm	1730mm	625mm	370mm	1185mm	1.0 cubic	250kg	1000kg

Visit our website for specification sheets

BMP092 Bottom Dump Bin

Drop your load (appropriately)!

Take advantage of spring shock absorption and a clean product drop within a confined space with these two models.

The floor-drop allows solid waste to be easily dumped from the bin while lifted on the fork's tyres.

Size 1: 1220mm x 1050mm x 1085mmH

Size 2: 1220mm x 1050mm x 560mmH

WLL: 1000kg

Weight: 1: 255kg 2: 187kg

HCoG: 520mm

Tyne Pockets: 160mm x 65mm

Tyne Pocket Centres: 684mm

Finish: hot dip galvanised or painted

NB: Compliance plate & serial number attached.



Visit our website for specification sheets

BMP047 Scrap Bin Hopper

Store and dump your scrap metal or timber waste on site. The tapered floor of the unit ensures product is dispersed efficiently into larger bins. This unit can also be fitted with heavy duty castor wheels to allow manual movement as an additional extra.

Size: 2400mm x 1180mm x 1150mmH

WLL: 2000kg

Weight: 315kg

HCoG: 600mm

Tyne Pockets: 190mm x 67mm

Tyne Pocket Centres: 700mm

Finish: painted enamel

NB: Compliance plate & serial number attached.



BMP056 Self Dumping Hopper

Quickly unload your cardboard and rag waste from the driver's seat. The tapered floor of the unit ensures product is dispersed efficiently into larger bins. This unit can also be fitted with heavy duty castor wheels to allow manual movement as an additional extra.

Image shown with optional castors.

Size: 1585mm x 1180mm x 1800mmH

WLL: 750kg

Weight: 112kg

HCoG: 600mm

Tyne Pockets: 160mm x 60mm

Tyne Pocket Centres: 560mm

Finish: painted enamel

NB: Compliance plate attached.





BMP067 AIM Forward Bin Tipper

Empty containers in a controlled manner regardless of contents with this quick-hitch hydraulic attachment. This unit requires the hydraulic assembly to be installed on your forklift truck and allows the operator ease of operation from the cab.

Width: 760mm

WLL: 1000kg


Weight: 160kg

HCoG: 600mm

Lost Load: 300mm

Tyne Pockets: 160mm x 60mm


Finish: powder coated black



BMP049 Forklift Bucket Attachment

Convert a standard forklift into a front end loader by using this simple attachment.

This unit can be safely operated from the driver's seat of the forklift. Both units are approximately 650mm high.



Code	WLL	Length	Overall Width	Bucket Size	Tyne Pockets	Tyne Centres	Weight	HCoG
049-12	500kg	1745mm	1210mm	600mm x 600mm	165mm x 65mm	750mm	160kg	600mm
049-15	500kg	1745mm	1515mm	630mm x 630mm	165mm x 65mm	750mm	171kg	560mm

BMP069a Forklift Bag Lifter

Transport and dispense bulk bags in a safe manner using your fork lift truck.

The bulk bags can be attached on the four swivel hooks, allowing lateral movement of the bag and easy dispensing with the tied base cleanly exposed.

This unit is a fully certified lifting device.



Size: 910mm x 1050mm x 150mmH

WLL: 2000kg

Weight: 72kg

HCoG: 600mm

Tyne Pockets: 190mm x 67mm

Tyne Pocket Centres: 850mm

Finish: painted enamel

NB: Compliance plate attached.

BMP069b Forklift Bag Lifter

Transport and dispense bulk bags in a safe manner using your fork lift truck. This bulk bag lifter allows easy unloading of shipping containers with bulk bags stacked two high.

Size: 1925mm x 800mm x 800mmH

WLL: 1500kg

Weight: 185kg

HLC: 1470mm

Tyne Pockets: 190mm x 67mm

Tyne Pocket Centres: 600mm

Finish: painted enamel

NB: Compliance plate attached.





BMP054 Forklift Spreader

Carry wide loads without damaging the product. This unit features a rear headboard welded into the frame.

See Data Chart

Finish: painted enamel

NB: Compliance plate attached.



Code	WLL	Size	Pocket Centres	Tyne Pockets	Weight	Headboard Height	HCoG
BMP054	2500kg/600mm load centre	3000mm x 1250mm	715mm	150mm x 60mm	280kg	750mm	560mm
BMP055	2500kg/600mm load centre	3000mm x 1250mm	715mm	150mm x 60mm	210kg	no headboard	600mm


BMP055 Forklift Spreader

Turn your forklift truck into a wide-load carrier with this slip on spreader. This unit allows the operator to carry wide loads safely and without damaging the product.

See Data Chart

Finish: painted enamel

NB: Compliance plate attached.



BMP079 Wheelie Bin Tipper

Empty your wheelie bins with ease using this slip on forklift attachment.

This unit comes in three versions - a single, double or bulki bin model. The bin is positioned in the tipper using a ratchet assembly and a steel locator plate for safe operation.

The latch mechanism allows control from the driver's seat.

See Data Chart
Finish: painted enamel
NB: Ratchet straps included



Code	WLL	O/A Length	Tyne Pockets	Pocket Centres	Weight	Height	O/A Width	HCoG	VCoG
BMP079-1B	300kg	1225mm	140mm x 65mm	400mm	72kg	625mm	670mm	620mm	212mm
BMP079-2B	500kg	1225mm	140mm x 65mm	400mm	110kg	625mm	1221mm	620mm	212mm
BMP079-BB	500kg	2150mm	140mm x 65mm	515mm	150kg	715mm	1535mm	1195mm	212mm



**100% Australian Owned & Operated
Manufactured in Bremco's Australian Workshop**

BMP064 Forklift Tarp Spreader

Safely spread tarps across loads with this convenient slip-on attachment; designed to be compatible with most standard Class 2 Fork Truck carriages.

The unit is designed to support the load on either side of the A-frame support, with a 3 metre removable pole that can be stored easily when not in use.

Size: 915mm x 3920mm x 575mmH

WLL: 250kg

Weight: 123kg

HCoG: 595mm

Tyre Pockets: 160mm x 65mm

Tyre Pocket Centres: 735mm

Finish: Powder coated

NB: Compliance plate attached.



BMP119 Forklift Broom Attachment

Sweep areas contaminated by litter, cans, cartons and gravel with your forklift or tractor using this slip on attachment, also designed to sweep or move grain, sand, rocks, glass, mud, leaf debris and many other materials. The unit is designed with 8 rows of filament, for positive brush retention and safe sweeping.

Refill brush units are available.

Size: 1500mm x 227mm x 90mmH

Finish: powder coated blue

NB: Positive broom clamping for forklift tyres



BMP027 Container Ramp (Bi-Fold) - Self Levelling

Access standard shipping containers with the bi-fold BMP027 Container Ramp. Forklift operators approach containers straight on and then, once in position, the small ramp section is folded over to form a full ramp section approximately 2100mm long.

Transporting the ramps is made simple with fork pockets installed under the main body of the unit.



Code	WLL	O/A Length	Tyne Pockets	Pocket Centres	Width	Weight	Height
027-40	4000kg	2100mm	190mm x 65mm	720mm	2280mm	385kg	110mm
027-65	6500kg	2100mm	190mm x 65mm	720mm	2280mm	483kg	110mm
027-95	9000kg	2100mm	190mm x 65mm	720mm	2280mm	504kg	110mm

BMP027 Container Ramp (Fixed)

Bremco's BMP027 Fixed Container Ramp has been designed as a fixed frame as an alternative to our bi-fold ramp.

This unit is fitted with pockets on each side to allow side shifting to the container door access.

The new 1800mm long model has been particularly designed to enable pallet trucks access to standard shipping containers.



Code	WLL	O/A Length	O/A Width	Tyne Pockets	Pocket Centres	Weight	Height
027-60F15	6000kg	1500mm	2280	170mm x 67mm	535mm	195kg	150mm
027-60F18	6000kg	1800mm	2280	170mm x 67mm	535mm	227kg	150mm



BMP073 Single Drum Lifter

This unit is ideal for high volume lifting situations, up to 70 drum movements per week with the automatic parrot beak clamp.

Designed to handle all drums, including the ISO drum, this unit can even be set up for fibre and plastic drums, and simply slides on to the forks, securing safely with a chain.

Operators don't need to leave their seat!

Size: 1140mm x 840mm x 990mmH

WLL: 680kg

Weight: 100kg

HCoG: 630mm

Tyne Pockets: 180mm x 65mm

Tyne Pocket Centres: 666mm

Finish: painted enamel

NB: Compliance plate + serial number attached.



BMP041 Double Drum Lifter

Speed and efficiency makes this attachment ideal for situations requiring 250+ drum movements per week.

Designed to handle up to 680kg per drum, this unit is compatible with all sizes of open top and closed head drums. Steel, plastic or fibre drums (with the fibre drum guard accessory) can be moved with this unit..

Size: 1050mm x 840mm x 990mmH

WLL: 1365kg

Weight: 280kg

HCoG: 805mm

Tyne Pockets: 180mm x 65mm

Tyne Pocket Centres: 910mm

Finish: painted enamel

NB: Compliance plate + serial number attached.



BMP058 Four Drum Lifter

This unit has been designed as a larger version of the BMP041 for handling steel, plastic or fibre drums.



- Size:** 965mm x 1120mm
- WLL:** 3636kg
- Weight:** 235kg
- HCoG:** 630mm
- Tyre Pockets:** 180mm x 65mm
- Tyre Pocket Centres:** 910mm
- Finish:** painted enamel
- NB:** Compliance plate & serial number attached.

BMP021 Forklift Drum Inverter

The BMP021 enables drums to be inverted safely in your warehouse, which is ideal for racking applications where horizontal storage is encountered.



- Size:** 1660mm x 660mm x 560mmH
- WLL:** 365kg
- Weight:** 97kg
- HCoG:** 600mm
- Tyre Pockets:** 180mm x 65mm
- Tyre Pocket Centres:** 450mm
- Finish:** painted enamel
- NB:** Compliance plate & serial number attached.





BMP023 Forklift Drum Handler

Handle steel, fibre or plastic drums with a top lip or chime. These units are suitable for 30 to 55 gallon drums (200 litres) and fit on fork tynes. Two models are available.

[See Data Chart](#)

Liftomatic Parrot Beak Clamping System

Finish: powder coated yellow

NB: Compliance plate & serial number attached.



Code	Length	Height	Width	Pocket Size	Pocket Centres	WLL	Weight	HCoG
023-LD01	810mm	970mm	785mm	160mm x 60mm	585mm	340kg	45kg	490mm
023-LD02	810mm	970mm	785mm	180mm x 75mm	585mm	650kg	55kg	490mm


BMP086 Forklift Drum Clamp

Handle steel drums with an automatic drum clamp and a quick-slide two-position adjustment.

[See Data Chart](#)

Finish: painted enamel

NB: Compliance plate + serial number.



Code	Length	Width	Height	Pocket Size	Pocket Centres	WLL	Weight
086-S	1100mm	710mm	120mm	140mm x 50mm	560mm	500kg	48kg
086-D	1420mm	1335mm	450mm	140mm x 90mm	560mm	500kg	131kg

BMP094 Forklift Drum Rotator (Light Duty)

Easily lift, raise and tilt loaded drums.

This unit includes a three metre pull-chain loop, allowing control from the driver's seat.

Recommended for occasional use - for information on a more heavy duty unit, please contact us nation wide on 1300 273 626

Size: 950mm x 990mm x 530mmH
WLL: 350kg
Weight: 75kg
HCoG: 450mm
Tyre Pockets: 180mm x 65mm
Tyre Pocket Centres: 800mm
Finish: painted enamel
NB: Compliance plate attached.



BMP083 Forklift Drum Rotator (Heavy Duty)

Safely rotate and decant your drums.

A unique, gear-driven attachment, this unit allows the operator to safely rotate and decant the contents of a standard 205 litre drum using the efficiency of a positive clamping system.

Size: 1100mm x 1080mm x 250mmH
WLL: 750kg
Weight: 112kg
HCoG: 600mm
Tyre Pockets: 180mm x 75mm
Tyre Pocket Centres: 860mm
Finish: painted enamel
NB: Compliance plate attached.





100% Australian Owned & Operated Manufactured in Bremco's Australian Workshop

Terms and Conditions

WELCOME

1. Welcome aboard as a Bremco Metal Products Pty Ltd customer. Any order placed by you as a buyer is regarded as an order incorporating these Terms & Conditions.

PRICES

2i. Every quotation is an estimate only and Bremco Metal Products Pty Ltd remain free to withdraw, alter or correct the details at any time prior to our acceptance of your order.

2ii. Prices are subject to your order being for the whole quantity mentioned in the quotation unless otherwise negotiated.

2iii. Trade Order discounts are subject to minimum dollar value and can vary on a month by month basis.

2iv. Unless specifically provided in writing to the contrary, Bremco Metal Products Pty Ltd reserve the rights to supply quantities in accordance with our fabrication and shipping tolerances and your payment is for the quantity actually delivered.

2v. Bremco Metal Products Pty Ltd prices are F.O.B. The right is reserved to apply prices ruling at the time of delivery. As a manufacturer sometimes drawing on supplies from overseas or over time, special transport charges or variations in tariffs, rates of exchange, special taxes, transport charges, insurance premiums, harbour dues or similar costs and increases in wages, cost of material or otherwise which affect the goods we provide you, are to be your account. This holds good for quotations submitted and contracts made after outbreak of war.

2vi. All prices are plus GST, if applicable.

TERMS OF PAYMENT

3i. Nett cash prior to despatch of goods. Items ordered will be despatched upon receipt of payment.

3ii. Bremco will not hold your purchased goods for you beyond 5 days after you've been notified the goods are available for delivery.

3iii. For approved accounts, our terms are nett 21 days.

3iv. Payment shall be made against each portion or part of the order as delivered.

DELIVERY

4. Bremco Metal Products Pty Ltd does not assume liability for loss or damages occasioned by delays in delivery. Without being liable to pay indemnity, Bremco Metal Products Pty Ltd reserves the right to cancel the contract to purchase entirely or in part or to extend the delivery time in the case of force major, lockouts, strikes or other interruptions in operation, breakdown in machinery, stoppages, time in our own sub-contractor's work, transport difficulties, terrorist activities, war, or blockade, involving Australia or any other country from which the material required for the goods on order is expected to be procured and every circumstances of political, economical or other nature beyond our control.

ADVICE

5. The staff and management of Bremco Metal Products Pty Ltd are always keen to provide helpful advice if we are at all able to. However, we cannot assume liability (whether for negligence or otherwise) for any technical advice or assistance provided, or for the results obtained from our advice. It's important to us that you feel free to ask us for advice, but you must accept all such advice being given and accepted at your risk.

RETURNS AND CLAIMS

6i. Upon receipt of goods you should inspect and verify that the goods are in accordance with the paperwork. If there's been a mistake, please notify us. Any claim must be received within 7 days of date of invoice, and the goods returned within 14 days of invoice in original receivable condition by you as the buyer.

6ii. Goods covered by this document must be returned with a Bremco Metal Products Pty Ltd Return for Credit Authorization Number. Goods are to be returned as per advice on written approval.

6iii. Goods returned through no fault of Bremco Metal Products Pty Ltd may incur a charge of 10% including GST of invoice value plus delivery charges. This is for restocking costs, unless a prior agreement exists.

GUARANTEE

7. Goods marketed by Bremco Metal Products Pty Ltd hold manufacturer's guarantee or unless stated. Please confirm with us. Bremco Metal Products Pty Ltd is in no way responsible for any damage which may be occasioned through use or misuse and its only liability is limited to the price paid for the goods.

SECURITY OF PROPERTY, OR 'LIEN'

8i. In addition to any lien to which Bremco Metal Products Pty Ltd may be statute or otherwise be entitled, we will in the event of Buyers insolvency, winding up or bankruptcy, be entitled to a general lien in respect of all property or goods belonging to you in our possession or under our control (although such goods or part thereof may have been paid) for the unpaid price of any other goods sold and delivered to you under this or any other contract.

8ii. Title to the goods to be delivered cannot pass to you until payment in full has been received by Bremco Metal Products Pty Ltd. Until such time, the goods always remain the property of Bremco Metal Products Pty Ltd.


LEGAL INTERPRETATION

9. This agreement and these Terms and Conditions and all disputes or difficulties arising therefore shall be governed by the law in the State of Queensland Australia.

PAYMENT OPTIONS



Design your own Custom Forklift Attachment
and **bremco** will build it for you!



1300 273 626 • www.bremco.com.au

Bremco Metal Products
PO Box 516
ARCHERFIELD Qld 4108
37- 43 MacBarry Place
ROCKLEA Qld 4106



Australian Industrial
Truck Association Member