



bremco
METAL PRODUCTS
1300 273 626
www.bremco.com.au

Crane Lifting Attachments



All Bremco Products are
manufactured in Australia.



Building it safe.
Phone 1300 273 626 | bremco.com.au

Building it safe.

Bremco Metal Products is a 100% Australian owned and operated family business.

Bremco has been manufacturing **lifting attachments** for over 30 years. Our attachments see broad use across Australia in a range of industries and materials handling capacities, including for warehousing, manufacturing, mining, construction and transport.

We take pride in producing safe products that are Australian designed and made and built tough to endure the harsh Australian environment.

Our quality crane lifting attachments are manufactured in-house by our experienced team, and feature fully welded construction. We manufacture all of our products in accordance with the relevant Australia Standards and Codes of Practice. All units come with a standard compliance plate and serial number.

We can also custom design, engineer and manufacture a crane attachment to your specific lifting plans. Contact our team today to find out more.

So give us a call on: 1300 bremco (1300 273 626) or go to bremco.com.au to request a quote .



All Bremco Products are
manufactured in Australia.



Tested in accordance with Australian
Standard AS4991, and AS1418.17

Why Choose Bremco?

- ✓ Fully welded construction
- ✓ High quality, superior finish
- ✓ 100% Australian made
- ✓ Australian quality and compliance
- ✓ Preassembled before delivery
- ✓ Australia wide delivery
- ✓ Custom manufacturing available
- ✓ ISO 9001: 2015 registered company



Crane Lifting Attachments

Crane Man Cages	4
Crane Lifting Cages	8
Crane Lift Bins and Devices	13
Crane Drum Handling	17
Gas Cylinder Trolleys	18
General Crane Attachments	20

Bremco manufactures and distributes quality crane lifting attachments.

All of our crane lifting attachments are manufactured, fully welded and proof load tested in accordance with Australian Standard AS4991, and AS1418.17 for our crane man box.

All units come with a standard compliance plate and serial number, allowing you to record this in your safety lifting register.

We are a proud Australian business and our products are manufactured to the highest quality and meet strict engineering guidelines to conform with Australian standards, ensuring the attachments contribute to a safe work environment.

Contact the Bremco team to find out more about our crane lifting & attachments range or to place an order.

Not Exactly what you're looking for?

We also custom manufacture to your requirements in our Australian workshop. Contact our friendly team today on 1300 273 626 for a quote or to place an order.

Crane Man Cages

Bremco crane man cages ensure the safe lift of people at your work site, factory, warehouse or workshop.

Our crane man cages are engineered and manufactured in our Australian factory in strict accordance with Australian safety standards AS1418.17 and have a design registration certificate for all models.



All Bremco Products are manufactured in Australia.



Crane Lift Man Cage (No Roof)

PRODUCT CODE BMP068-S

The Crane Lift Man Cage (No Roof) allows up to four people to be lifted using an overhead crane system.

Features

- ✔ Tested and tagged to AS1418.17
- ✔ QGov Des Reg #Q28516
- ✔ Self-closing inwards gate
- ✔ Steel plate floor panel with kick rail
- ✔ Open sides for site work (welded)
- ✔ Four-point lift with eye fully welded
- ✔ Includes chains
- ✔ Finish: Powdercoat Yellow

WLL 500kg or 4 people | Tare weight 180kg
Length 1200mm | Width 1000mm | Height 1115mm



Crane Lift Man Cage (No Roof)

PRODUCT CODE BMP068-N

The Crane Lift Man Cage (No Roof) allows up to two people to be lifted using an overhead crane system.

Features

- ✔ Tested and tagged to AS1418.17
- ✔ QGov Des Reg #Q31460
- ✔ Self-closing inwards gate
- ✔ Steel plate floor panel with kick rail
- ✔ Open sides for site work (welded)
- ✔ Four-point lift with eye fully welded
- ✔ Includes chains
- ✔ Finish: Powdercoat Yellow

WLL 250kg or 2 people | Tare weight 100kg
Length 1194mm | Width 680mm | Height 1103mm



Crane Lift Man Cage (With Roof)

PRODUCT CODE BMP068-L

The Crane Lift Man Cage (With Roof) allows a maximum of four people to be lifted using an overhead crane system.

The design strictly adheres to Australian Standard AS1418.17. It has a four point lift (standard) as well as harness attachment points and has a 500kg working load limit.

Features

- ✔ Tested and tagged to AS1418.17
- ✔ QGov Des Reg #Q28722
- ✔ Self-closing inwards gate
- ✔ Steel plate floor panel with kick rail
- ✔ Open sides for site work (welded)
- ✔ Four-point lift with eye fully welded
- ✔ Includes 4 leg chains
- ✔ Finish: Powdercoat Yellow

WLL 500kg or 4 people | Tare weight 200kg
Length 1200mm | Width 1000mm | Height 2220mm



Crane Lift Single Man Cage

PRODUCT CODE BMP115

The Crane Lift Single Man Cage allows a maximum of one person to be lifted using an overhead crane system.

The design strictly adheres to Australian Standard AS1418.17. All units are individually proof load tested, tagged and compliance plate and serial number attached.

Features

- ✔ Self-closing gate
- ✔ Steel plate floor panel with kick rail
- ✔ Includes chains
- ✔ Internal lanyard point attachments
- ✔ Tested and tagged to AS1418.17
- ✔ QGov Des Reg #Q29979
- ✔ Finish: Powdercoat Yellow

WLL 250kg | Tare weight 96kg
Length 600mm | Width 600mm | Height 2178mm



Round Man Cage

PRODUCT CODE BMP115-R

The Round Man Cage is a high strength plate construction for those tight and restricted workplace sites.

The round format allows for down shaft use and is supplied with leg chains to suit each application. You can rest easy knowing that the Bremco Single Man Cage has been tested and approved to Australian Standard AS1418.17 and is robust in design.

Features

- ✔ Handrail inside frame for hand safety
- ✔ Steel plate floor and side panel
- ✔ Includes 3 Leg chain sling
- ✔ Internal lanyard point attachments
- ✔ Tested and tagged to AS1418.17
- ✔ QGov Des Reg #TBA
- ✔ Finish: Powdercoat Yellow

WLL 250kg | Weight 156kg
Diameter External 600mm | Diameter Internal 500mm
Height to top of Handrail 2275mm



Crane First Aid Rescue Cage

PRODUCT CODE BMP068-FA

The Bremco Crane First Aid Rescue Cage is designed to be suspended from a crane and used for the emergency retrieval and first aid rescue of injured workers on a work site.

Crane rescue first aid cages must be made available and readily accessible on the work site as an effective emergency response.

Our cage is Australian Made and designed to Australian Standard AS1418.17. It has also been designed and registered to comply with the QLD Tower Crane Code of Practice 2017 (PN12040).

Features

- ✓ 4-point lift - eye fully welded
- ✓ Labels and 3M lifting chains - 4 leg assembly included
- ✓ Suitable for use with a standard stretcher – support seat included
- ✓ QLD Govt Des Reg#Q31009
- ✓ Can transport up to 6 people
- ✓ Cage certified to AS1418.17
- ✓ Fall Arrest attachment points to AS1891
- ✓ Outward opening self closing door
- ✓ Fully enclosed mesh cage for safety
- ✓ First Aid stretcher seat
- ✓ Forklift pockets and lifting lugs for transport
- ✓ Engineering certificate
- ✓ Finish: Powdercoat White

WLL 750kgs | **Tare weight** 555kg | **Length** 2960mm
Width 1305mm | **Height** 2400mm
Minimum Internal Size 2800mm (L) x 1200mm (W)
Max Capacity 6 personnel



Note: Cage is white with green First Aid signage.

A strict Australian code of Practice applies for the use of a Crane First Aid Rescue Cage on worksites:

- Can only be used for rescue or retrieval of injured persons
- Must display first aid signage
- Be kept clean and hygienic, not used to store materials
- Be within reach of the crane and easily accessible
- Minimum internal size of 2800mm length 1200mm width x 2200mm height
- Fully enclosed sides at least 1000mm high with horizontal gap not exceeding 250mm in vertical

Crane Lifting Cages

Bremco's Australian made crane lifting cages and attachments are made tough with quality engineering, making them suitable for use with most overhead crane systems to ensure you lift equipment and construction materials safely and efficiently.

Bremco products are ideal for construction sites, warehouses, workshops and factories.



All Bremco Products are manufactured in Australia.



Brick Cage

PRODUCT CODE BMP110

Brick Cages are ideal for the safe lifting of timber pallet loads of bricks or similar products to work locations via overhead crane.

The four crane-lift points come standard with fitted bow shackles.

This unit is suitable for standard timber pallets and meets the requirements of Australian Standards AS4991.

Features

- ✓ Tyne Pocket Centres: 500mm
- ✓ Fork pockets welded to top frame
- ✓ Removable pallet tynes + Holder racks
- ✓ 4 Point lift for load stability
- ✓ Manufactured to AS4991-2004
- ✓ Finish: Galvanised finish

WLL 2000kg | **Tare weight** 220kg
Useable space 1320mm Square | **Height** 1400mm
O/A Dims 1450mm Square | **O/A Height** 1658mm



Cage for Forklift and Crane Lift

PRODUCT CODE BMP124

The Crane and Forklift Cage comes standard with a mesh floor and side panels. It has been designed for use with cranes and forklifts with locking pins for added safety when on forklifts.

It is manufactured in accordance with Australian Standard AS4991 and is tested and tagged accordingly.

Features

- ✓ No gate
- ✓ Mesh 50x50 panel sides - welded
- ✓ Mesh 50x50 floor panel
- ✓ 4-point lift - eye fully welded
- ✓ Test & Tagged to AS4991
- ✓ O/A 1185mm SQ x 1235mmH
- ✓ Finish: Powdercoat Yellow

WLL 1000kg | Tare weight 110kg
 Length 1185mm | Width 1185mm | Height 1325mm



Goods Cage (Double Pallet)

PRODUCT CODE BMP122

The Double Pallet Goods Cage is engineered for use with most overhead crane systems and can be transported using forklifts or pushed manually.

It features two swing gates, allowing clear access for two standard pallets.

Features

- ✓ Supplied with 200mm castors
- ✓ Two swing gates for clear access for two standard pallets
- ✓ Four fully welded lifting points
- ✓ 4-leg chains are an optional extra.
- ✓ Manufactured to AS4991-2004
- ✓ Finish: Powdercoat Yellow

WLL 1500kg | Tare weight 460kg
 Length 2720mm | Width 1385mm | Height 845mm
 Height including castors 944mm



Crane Cage

PRODUCT CODE BMP018-M-DG

The Goods Cage Mesh Panel Crane-Lift has been designed and engineered for use with most overhead crane systems and can be transported using forklifts, in accordance with AS4991.

It has a full swing gate that allows you to place a standard timber pallet inside the cage. The gate has a secure two-point locking system that prevents goods from coming loose when lifted.

Features

- ✔ Mesh panels on all side faces
- ✔ Sheet metal floor panel
- ✔ Four lifting points fully welded into the frame
- ✔ 4-Leg Chains are an optional extra.
- ✔ Stackable
- ✔ Tested and tagged to AS4991
- ✔ Supplied with compliance plate & serial number
- ✔ Double latching gate
- ✔ Finish: Duragal / Zinc

WLL 1000kgs or 2000kg
 1T cage weight 170kg | 2T cage weight 180kg
 Frame 1358mm SQ | Height 1260mm



Crane Bin

PRODUCT CODE BMP018-S-DG

The Cage Bin with sheet metal panels has been designed and engineered for use with most overhead crane systems and can be transported using forklifts.

It has a full swing gate that allows you to place a standard timber pallet inside the cage. The gate has a secure two-point locking system that prevents goods from coming loose when lifted.

Features

- ✔ Sheet metal floor panel
- ✔ 4-point lift - eye fully welded
- ✔ Test & Tagged to AS4991
- ✔ These units are Stackable
- ✔ Forklift pockets
- ✔ Double latching gate
- ✔ Finish: Duragal / Zinc

WLL 1000kgs or 2000kgs
 1T cage weight 190kg | 2T cage weight 200kg
 Frame 1358mm SQ | Height 1260mm



Large Goods Cage - 4M

PRODUCT CODE BMP098

The Large Goods Cage with mesh panels is ideal for the air conditioning, cabinetry and glazing industries, and for construction companies wanting to lift products safely onto high rise buildings.

The cage has been designed to enable the lifting of large and awkward products with the use of four-point lifting eyes and bow shackles fitted.

Features

- ✔ Tyne Pockets: 164mm x 60mm
- ✔ Tyne Pocket Centres: 720mm
- ✔ Four crane-lift points standard with bow shackles fitted
- ✔ Spring locked safety gate system
- ✔ Mesh 50x50 panel sides - welded
- ✔ 3mm heavy plate floor panel
- ✔ 4-point lift - eye fully welded
- ✔ Test & Tagged to AS4991
- ✔ Design options for Custom size Cages
- ✔ Finish: Duragal / Zinc

WLL 2000kg | Weight 820kg
Length 4000 mm | Width 2300 mm | Height 1700 mm



Medium Goods Cage - 3.0M

PRODUCT CODE BMP098-M

The Medium Goods Cage with mesh panels has been designed and engineered for use on most construction sites for use under Tower cranes and loading decks.

Features

- ✔ Gate one end / double latching
- ✔ Spring locked safety gate system
- ✔ Mesh 50x50 panel sides - welded
- ✔ 3mm heavy plate floor panel
- ✔ 4-point lift - eye fully welded
- ✔ Test & Tagged to AS4991
- ✔ Design options for Custom size Cages
- ✔ Finish: Duragal / Zinc

WLL 2000kg | Tare weight 410kg
Length 3015mm | Width 1515mm | Height 1450mm



Small Goods Cage - 2.4M

PRODUCT CODE BMP098-S

The Small Goods Cage with mesh panels has been designed and engineered for use on most construction sites for use under Tower cranes and loading decks.

Features

- ✓ Gate one end / double latching
- ✓ Spring locked safety gate system
- ✓ Mesh 50x50 panel sides - welded
- ✓ 3mm heavy plate floor panel
- ✓ 4-point lift - eye fully welded
- ✓ Test & Tagged to AS4991
- ✓ Finish: Duragal / Zinc

WLL 2000kg | Weight 275kg
Length 2405mm | Width 1205mm | Height 1205mm



Tool Cage

PRODUCT CODE BMP166

Crane Cage with mesh panels and steel plate floor with full fork pockets under base, ideal for small parts to be lifted onsite using fork or crane.

Features

- ✓ Mesh 50x50 panel sides - welded
- ✓ No Gate
- ✓ 4-point lift - eye fully welded
- ✓ Test & Tagged to AS4991
- ✓ Finish: Powdercoat Yellow

WLL 750kg | Weight 75kg
Length 750mm square | Height 825mm



Riggers Site Box

PRODUCT CODE BMP105-10

Ideal for site work, the Riggers Box allows heavy items to be placed inside the box and lifted on and off construction sites safely.

Features

- ✔ Fork pockets 230mm x 85mm
- ✔ Plate steel construction
- ✔ Fully welded - No Gate
- ✔ O/A height 540mm
- ✔ Stackable up to 4 high max
- ✔ 4-point lift - eye fully welded
- ✔ Test & Tagged to AS4991
- ✔ Finish: Powdercoat Mineral Bronze

WLL 1000kg | Tare weight 190kg
 O/A Height 543mm | Internal Height 400mm
 Length 1100mm square



Crane Lift Bins and Devices

Bremco's range of crane lift bins & devices includes tipper bins, dumpmaster site bins, crane lift bins and crane long lift frames. We take pride in producing quality equipment for workshops, factories, work sites and warehouses.

We've got a crane lift device to suit:

- Positioning bins in an awkward location
- Hoist and empty products quickly
- Move bins around your work site
- Safely and efficiently transport steel and pipes .
- Gas cylinder trolley crane lifts to lift or manoeuvre a gas cylinder onsite.

Our products are made tough in our Australian factory and meet (and often exceed) Australian safety standards to help you maintain the highest workplace health and safety.



Custom Made Bins and Frames

We can also custom make bins and frames to your requirements. Read more or enquire about our custom steel fabrication here, or contact the friendly Bremco team today for more information or a free quote.

Crane & Forklift Tipper Bin (JS Style)

PRODUCT CODE BMP015-JS

The Crane & Forklift Tipper Bin – JS Style allows you both lift and tip thanks to the overhead crane lifting. This feature allows for positioning of the bin in awkward locations.


The units have a double locking device and comes with compliance plate and serial number attached.

Features

- ✓ Tyne Pockets: 190mm x 70mm
- ✓ Tyne Pocket Centres: 640mm
- ✓ Tested & Tagged AS4991 + AS2359
- ✓ Finish: Powdercoat Mineral Bronze

Type	Width mm	TARE Weight kg
JS09	900	225
JS12	1200	247
JS15	1500	270

WLL 1000kg | O/A Length 1679mm | O/A Height 1183mm



Reinforcing Steel Crane Lifting Frame

PRODUCT CODE BMP117


The Crane Long Lifting Frame is an easy lift stillage that has been designed to safely and efficiently transport reinforcing steel, long pipe, ducting or tubular steel from the supplier to the work site, all in a single load.

The cells can be arranged with a forklift when empty and stacked four units high. The forklift can also load the units onto a truck before they're driven to site and crane lifted safely onto high rise buildings.

Features

- ✓ Finish: painted enamel

WLL 4500kg | Weight 1038kg | Length 9200mm
Width 1170mm | Internal Height 420mm



Steel Bin Crane & Fork Lifting Bin

PRODUCT CODE BMP046

Bremco has designed this unique Site Bin so you can Crane Lift and Fork the units around the work site, as well as safely stack when loaded or empty to minimise space.

This unit also has rear hook eyes for rotating and dispersing the load safely.

Features

- ✔ No gate – Bin style
- ✔ Tapered front panel
- ✔ 4-point lift - eye fully welded
- ✔ Test & Tagged to AS4991
- ✔ O/A 1800mm x 1100mm x 1100mmH
- ✔ Finish: Powdercoat Mineral Bronze

WLL 2000kg | **Weight** 320kg
Length 1875mm | **Width** 1000mm | **Height** 1120mm



Site Bins 1500kgs / 2000kgs

PRODUCT CODE BMP105-15 / BMP105-20

Crane Lift Site Bin is the ideal way to hoist product and then empty quickly as well as being stackable inside each other with empty rear leg lift points.

These bins are supplied with a 4 Leg Lift and are available in 2 sizes as listed below:

Features

- ✔ 1900mmL x 1100mmW x 975mmH (Rated @ 1500Kgs WLL)
- ✔ 2500mmL x 1300mmW x 1230mmH (Rated @ 2000Kgs WLL)
- ✔ Fully welded plate steel construction
- ✔ Fork pockets
- ✔ Tested and Tagged AS4991
- ✔ Finish: Powdercoat Mineral Bronze

WLL 1500kg | **Weight** 210kg
Length 1900mm | **Width** 1100 mm | **Height** 975 mm

WLL 2000 kg | **Weight** 390kg
Length 2500 mm | **Width** 1300mm | **Height** 1230mm



Crane Site Bin 3000kgs

PRODUCT CODE BMP105-30

Crane Lift Site Bin is the ideal way to hoist product and then empty quickly using the rear lower lift points.

These bins are supplied with a 4 Leg Lift and are designed to take heavy loads up to 3000Kgs.

Features

- ✓ No gate – Bin style
- ✓ Crane style – AS4991
- ✓ Tapered front panel
- ✓ 4-point lift - eye fully welded
- ✓ Test & Tagged to AS4991
- ✓ O/A 2400mm x 1350mm x 1000mmH
- ✓ Finish: Powdercoat Mineral Bronze

WLL 3000kg | Weight 416kg
Length 2350mm | Width 1310mm | Height 985mm



Crane Bin 500kgs / 1000kgs

PRODUCT CODE BMP018 Site-05 / Site-10

Crane site bins for general use around construction sites that can be positively stacked to minimise space onsite.

Galv zinc finish for longer life.

Features

- ✓ O/A 900mm SQ x 750mmH
- ✓ O/A 1150mm SQ x 850mmH
- ✓ No gate
- ✓ Sheet metal panel sides - welded
- ✓ Sheet metal floor panel
- ✓ 4-point lift - eye fully welded
- ✓ Test & Tagged to AS4991
- ✓ These units are Stackable
- ✓ Finish: Duragal Zinc

WLL 500kg | Tare weight 100kg
Length 900mm | Width 900mm | Height 750mm

WLL 1000kg | Tare weight 120kg
Length 1150mm | Width 1150mm | Height 850mm



Crane Drum Handling

Safely shift and lift steel or plastic drums with Bremco's crane drum handling equipment. Engineered and manufactured in our local workshop, Bremco drum lifting chains and grabs are tested to meet Australian safety standards and proven to offer reliability in harsh conditions.

Maintain the safety and efficiency of your work site with our superior crane drum handling products.

All products are finished with powder coating and we stand by our Australian made quality drum handling attachments with a money back guarantee.



Crane Drum Grab

PRODUCT CODE BMP091

Bremco is a proud distributor of the Pacific Hoists DrumGrab.

The DrumGrab™ is a unique Australian designed device which offers a safe, easy and reliable way to shift, lift and manoeuvre most 205 litre drums.

Safely shift and lift steel or plastic drums. Extract a drum from a cluster without disturbing the surrounding drums. This drum grab can be fitted to any lifting device, is self-centering and has the ability to lock on without coming off until required.

This unit maintains its reliability even when working in harsh conditions. It fits to most lifting devices and has a rated capacity of 1 Tonne. DrumGrab™ is an efficient method of drum handling which prevents injuries and spills and will make the job easy.

Features

- Compliance plate attached
- Finish: Powdercoat Yellow

Note: Please note that although Pacific Hoists is a quality Australian company, their drum handling equipment is manufactured overseas..

WLL 1000kg | Weight 8kg
Length 450mm | Width 450mm | Height 400mm



Gas Cylinder Trolleys

Our range of general crane attachments includes crane lift pallet hook, spreader beams and lifting beams.

All Bremco general crane attachments are fully welded and individually proof load tested in accordance with Australian Standard AS4991.



All Bremco Products are manufactured in Australia.

Gas Cylinder Trolley Single Crane Lift (Deluxe Model)

PRODUCT CODE BMP029

Gas Cylinder Trolley – (Crane / Fork) is designed to be pushed, crane-lifted or fork-lifted around the work site.

Ideal for use on construction sites where traditional trolleys may be difficult to manoeuvre around the site.

Features

- ✓ WLL 250Kgs
- ✓ Tare weight 60kg
- ✓ AS4991 Certified
- ✓ Fits all size cylinders
- ✓ Hold 1 x G Oxy + 1 x LPG Cylinder or 2 x G Size cylinders
- ✓ 400mm Pneumatic Wheels
- ✓ 995mm x 661mm x 1710mm
- ✓ Safety latch gate
- ✓ Ratchet strap included
- ✓ Finish: Powdercoat Yellow



Gas Cylinder Trolley Crane Lift (Budget Model)

PRODUCT CODE BMP029B

The "budget version" of the Crane Lift Gas Cylinder Trolley is designed to be pushed, crane-lifted or fork-lifted around the work site.

Panel style construction and large diameter wheels make this an easy unit to handle.

Features

- ✓ WLL 250Kgs
- ✓ Tare weight 75kg
- ✓ AS4991 Certified
- ✓ Fits all size cylinders
- ✓ Hold 1 x G Oxy + 1 x LPG Cylinder or 2 x G Size cylinders
- ✓ 400mm Pneumatic Wheels
- ✓ 953mm x 648mm x 1256mm
- ✓ Safety latch gate
- ✓ Ratchet strap included
- ✓ Finish: Powdercoat Yellow



Gas Cylinder Trolley Single Crane Lift

PRODUCT CODE BMP112

The Gas Cylinder Trolley Crane Lift is designed to hold a single cylinder and is ideal for chlorine or LPG cylinders.

Use this trolley to push, lift, store and manoeuvre on site.

Features

- ✓ Size: 625mm x 725mm x 1685mmH
- ✓ WLL: 150kg
- ✓ Weight: 45kg
- ✓ Lifting Frame is 470mm wide
- ✓ Wheels: 220mm pneumatic wheels
- ✓ Ratchet strap included
- ✓ Finish: Powdercoat Yellow



General Crane Attachments

Our range of general crane attachments includes crane lift pallet hook, spreader beams and lifting beams.

All Bremco general crane attachments are fully welded and individually proof load tested in accordance with Australian Standard AS4991.



All Bremco Products are manufactured in Australia.

WLL 2000 KGS

Crane Bulk Bag Lifter

PRODUCT CODE BMP069-C2T

Crane lift Bulk Bag Lifters allow operators to transport and dispense Bulk Bags in a safe manner using an overhead crane or jib


The Bulk-Bags can be located on the four hooks allowing lateral movement of the bag and easy dispensing with the tied base cleanly exposed.

We proof load test 100% of our bulk bag lifters to Australian Standard AS4991.

Features

- ✓ 1085mm Square lift point centres
- ✓ 210mm High overall
- ✓ Latch "excavator style" hooks for safety
- ✓ Finish: Powdercoat Yellow

WLL 2000kgs | Tare weight 25kg



Crane Lift Pallet Hook

PRODUCT CODE BMP037-2T / BMP037-1T / BMP037-3.5T

Bremco's Crane Lift Pallet Hooks are designed for the overhead lifting of palletised goods by Crane Truck or Gantry Cranes.

These units have a load balancing slip-ring that can be positioned to suit the centre of gravity on the lifted load, and adjustable forks are standard with our units.

It is made tough and designed to comply with Australian Standard AS4991.

Features

- ✔ 1000Kg > 2000Kg > 3500Kg WLL options
- ✔ 1400mm clear height opening
- ✔ AS4991 certification (Tagged for use)
- ✔ 900mm wide tynes – adjusting to 700mm
- ✔ Finish: Powdercoat Yellow



Code	Tynes mm	Height mm	O/A Width	Usable Tyne Length	Tare Weight kg	WLL kg
037-10	120x40	1959	916	1100	135	1000
037-20	120x40	1959	916	1045	185	2000
037-35	150x50	1959	916	1055	340	3500G4

Oxy Cylinder Frame

PRODUCT CODE BMP164-S / BMP164-D

The Crane lift Gas Cylinder Frames allow the safe handling of Gas cylinders under hook in factories, on building sites and back of trucks.

It can be supplied as either a single or double frame.

Features

- ✔ AS4991 Certified
- ✔ E/G Size Oxy cylinders
- ✔ Ratchet strap included
- ✔ Finish: Powdercoat Yellow



Code	WLL kg	No. Cylind	Suits	Tare Weight kg	Overall Height mm	Base Size mm	USE
BMP164-S	150	1	E& G Size	12	1878	350 x 330	Crane Lift Only
BMP164-D	200	2	E& G Size	38	1882	645 x 400	Crane Lift Only
BMP164-DD	400	4	E& G Size	75	1890	750 x 650	Crane Lift Only
BMP164-6D	500	6	E& G Size	120	1835	950 x 850	Fork & Crane

Spreader Beams

PRODUCT CODE BMP116-S

Spreader Beam is a type of below hook lifting device used to aid crane operators in picking up large and sometimes heavy loads.

The idea behind a spreader beam is to simply distribute the load of a lift across more than one point, increasing stability and decreasing the loads applied during hoisting.



WLL	Closed DIM	Open DIM
5T	2475mm	4075mm
10T	2475mm	4075mm
15T	2475mm	4075mm
30T	4130mm	6130mm
50T	4130mm	6130mm

Combination Beams

PRODUCT CODE BMP116-C

Combination Beams can be used as either a Spreader Beam with a higher load capacity or a single point Lift Beam with a reduced load.

These units are ideal for mobile crane work where loads and centres often vary greatly.



BMP116-C-8-6T	Spreader Extended	Spreader Closed
Distance	3600mm	2200mm
WLL	6600Kgs	8600mm
	Lift Beam 800Kgs	Lift Beam 1300Kgs

BMP116-C-15T	Spreader Extended	Spreader Closed
Distance	3490mm	2290mm
WLL	15000Kgs	15000Kgs
	Lift Beam 2000Kgs	Lift Beam 3100Kgs

BMP116-C-30T	Spreader Extended	Spreader Closed
Distance	6000mm	4000mm
WLL	30000Kgs	30000Kgs
	Lift Beam 4000Kgs	Lift Beam 6000Kgs

Lift Beams

PRODUCT CODE BMP116-L

Lift Beams offer a perfect low cost solution to your set lifting and rigging work, where loads remain constant and typically under overhead gantry type cranes.

WLL	O/A Lift Width
1T	1000 to 3000mm
3T	1000 to 3000mm
5T	1000 to 3000mm
10T	2000 to 4000mm



IBC Lifting Frame

PRODUCT CODE BMP165

A safe and easy way to lift IBC Containers under hook using a simple spreader bar design and removable pallet bars that slide through under the base of the IBC creating a positive lift.

Features

- ✔ Tested & Tagged AS4991
- ✔ Includes all chains and fittings as a set
- ✔ Load centres @ 700mm
- ✔ Finish: Powdercoat Yellow

WLL 1250kg Tare Weight 70kg
Length 1420mm Width 750mm Height 1560mm



Equalizer Plates


PRODUCT CODE BMP167

For the use of multiple sling legs allowing the force to equalise across the legs.

Supplied with standard bow shackles, these units can be used with wire rope, chains or soft slings.

Features

- ✔ Ideal in compensating for differences in load lift points and sling lengths
- ✔ Available in sizes 5T, 10T, 20T, 35T, 55T, 85T, 100T





Bremco Metal Products

59 Railway Parade, Rocklea QLD 4106
PO Box 94, Salisbury QLD 4107

Phone 1300 273 626

Fax: (07) 3216 7909

bremco.com.au



All Bremco Products are
manufactured in Australia.



Building it safe.